Python for Java People

CS 540: Introduction to AI Spring 2020

PSA: Piazza

Sign up for our course Piazza:

piazza.com/wisc/spring2020/compsci540


Get conceptual and Python help from TAs, peer mentors, graders, and students!

A Crash Course in Python

- Why are we doing this in Python?
- 2. Where do I write Python code? How do I run it?
 - a. Online
 - b. Offline
- 3. What are the big differences between Java and Python?
- 4. Where can I find out more?

Why Python?

Better machine learning libraries!



Where Python?: Online

Not ideal in the long run, but sufficient for today. Difficult/impossible to customize, but easy to get up and running.

repl.it/languages/python3

Where Python?: Offline

Be real cool: vim/emacs + command line python3

IDEs:

- Anaconda/Spyder
- PyCharm
- Thonny
- Atom
- Eclipse + plugins if you really love eclipse for some reason

Many libraries have installers, but get to know pip

Hello World: Key differences from Java

Let's translate the traditional first program to Python.

```
public class Hello {
    public static void main(String[] args) {
        // print to the console
        System.out.println("Hello, world");
    }
}
```

Hello World: Key differences from Java

```
public class Hello {
    public static void main(String[] args) {
         // print to the console
         System.out.println("Hello, world");
def main(args):
    # print to the console
    print('Hello, world')
```

Don't bother with a class unless you actually want to make an object

Functions don't need return types (or parameter types, for that matter)

Indentations matter, not { }. Begin functions with : and end by unindenting

Strings can be " " or ' ', comments begin with #, and no semicolons needed

Python Control Flow

Conditionals and loops have the same indentation rules as functions.

```
if x > 5:
    # do something
for i in range(5):
    print(i)
```

Note: for loops in Python are really for-each loops, and need some iterable to iterate over (e.g. list, string, etc.)

Operators

Alas poor ++ operator, we knew ye well

```
x = 0
while x < 10:
    x += 1</pre>
```

Otherwise things pretty much work the same. New Python operator: is

Reading files is *stupid* easy

No Scanners, no BufferedReaders.

```
with open(filename, mode) as f:
    for line in f:
       print(line)
# closes automatically when you unindent
```

There are also libraries for reading formatted files like CSVs.

How to get Python libraries

To get access to any code beyond the basics: import

```
import math
x = 12 + 144 + 20 + 3 * math.srqt(4)
print(x / 7 + 5*11)
```

Specialized libraries (like the ones we'll be using for ML) will need to be installed before you can import them.

NOW YOU TRY

```
>>> filenums('nums.txt')
=> 23
```

- Make a text file with some numbers in it (not code)
- Write a program to read the file, sum the numbers, and print the sum to the screen
- Challenge: put it in a function and get the filename as user input -> pass to function as argument, return total