

Efficient Type Matching*

Somesh Jha Jens Palsberg Tian Zhao
University of Wisconsin[†] Purdue University[‡] Purdue University[‡]

September 21, 2001

Abstract

Palsberg and Zhao [14] presented an $O(n^2)$ time algorithm for matching two recursive types. In this paper, we present an $O(n \log n)$ algorithm for the same problem. Our algorithm works by reducing the type matching problem to the well-understood problem of finding a size-stable partition of a graph. Our result may help improve systems, such as Polyspin and Mockingbird, that are designed to facilitate interoperability of software components. We also discuss possible applications of our algorithm to Java. Issues related to subtyping of recursive types are also discussed.

1 Introduction

Interoperability is a fundamental problem in software engineering. Interoperability issues arise in various contexts, such as software reuse, distributed programming, use of legacy components, and integration of software components developed by different organizations. Interoperability of software components has to address two fundamental problems: *matching* and *bridging*. Matching deals with determining whether two components A and B are compatible. Bridging allows one to use component B using the interface defined for component A .

Matching: A common technique for facilitating matching is to associate signatures with components. These signatures can then be used as keys to retrieve relevant components from an existing library of components. Use of finite types as signatures was first proposed by Rittri [16]. Zaremski and Wing [20, 21] used a similar approach for retrieving components from an ML-like functional library. Moreover, they also emphasized flexibility and support for user-defined types.

Bridging: In a multi-lingual context, *bridge code* for “gluing” components written in different languages (such as C, C++, and JAVA) have to be developed. CORBA [12], PolySpin [4], and Mockingbird [2, 3] allow composing components implemented in different languages. Software components are considered to be of two kinds: *objects*, which provide

*Palsberg was supported by an NSF CAREER award, CCR-9734265, and by IBM.

[†]Computer Sciences Department, University of Wisconsin, Madison, WI 53706, jha@cs.wisc.edu.

[‡]Dept. of Computer Science, Purdue University, W. Lafayette, IN 47907, {palsberg,tzhao}@cs.purdue.edu.

public interfaces, and *clients*, which invoke the methods of the objects and thereby use the services provided by the objects.

CORBA: The CORBA approach utilizes a separate definition language called IDL. Objects are associated with language-independent interfaces defined in IDL. These interfaces are then translated into the language being used by the client. The translated interface then enables the clients to call the objects. Since the IDL interfaces have to be translated into several languages, their type system is very restrictive. Therefore, IDL interfaces lack expressive power because, intuitively speaking, the type system used in IDL has to be the intersection of the type system for each language it supports. Restrictions for CORBA-style approaches to interoperability are well articulated in [3, 4].

Polyspin and Mockingbird: The Polyspin and Mockingbird approaches do not require a common interface language, such as IDL. In both these approaches, clients and objects are written in their own type systems and an operation that crosses the language boundary is supported by bridge code that is automatically generated. Therefore, systems such as Polyspin and Mockingbird support seamless interoperability since the programmer is not burdened with writing interfaces in a second language, such as IDL in CORBA. Polyspin supports only finite types. Mockingbird on the other hand supports recursive types, including records, linked lists, and arrays. The type system used in Mockingbird is called the *Mockingbird Signature Language* or *MockSL*. The problem of deciding type equivalence for MockSL remains open [2]. In this paper we consider a type system which is related to the one used in Mockingbird.

Megaprogramming: Techniques suitable for very large software systems has been a major goal of software engineering. The term *megaprogramming* was introduced by DARPA to motivate this goal [5]. Roughly speaking, in megaprogramming, *megamodules* provide a higher level of abstraction than modules or components. For example, a megamodule can encapsulate the entire logistics of ground transportation in a major city. Megaprogramming is explained in detail in [19]. Interoperability issues arise when megaprograms are constructed using megamodules (see [19, Section 4.2]). We believe that the framework presented in this paper can be used to address mismatch between interfaces of megamodules.

The Problem: Assume that we use types as signatures for components. Thus, the type matching problem reduces to the problem of determining whether two types are equivalent. Much previous work on type focuses on non-recursive types [7, 8, 11, 15, 16, 17, 18, 20]. In this paper, we consider equivalence of recursive types. Equality and subtyping of recursive types have been studied in the 1990s by Amadio and Cardelli [1]; Kozen, Palsberg, and Schwartzbach [10]; Brandt and Henglein [6]; Jim and Palsberg [9]; and others. These papers concentrate on the case where two types are considered equal if their infinite unfoldings are identical. Type equivalence can be decided in $O(n\alpha(n))$ time, and a notion of subtyping defined by Amadio and Cardelli [1] can be decided in $O(n^2)$ time [10].

If we allow a product-type constructor to be associative and commutative, then two recursive types may be considered equal *without* their infinite unfoldings being identical. Alternatively, think of a product type as a multiset, by which associativity and commutativity are obtained for free. Such flexibility has been advocated by Auerbach, Barton, and Raghavachari [2]. Palsberg and Zhao [14] presented a definition of type equivalence which supports the idea. They also presented an $O(n^2)$ time algorithm for deciding their notion of type equivalence.

Our result: We present an $O(n \log n)$ time algorithm for deciding the type equivalence of Palsberg and Zhao [14]. Our algorithm works by reducing the type matching problem to the well-understood problem of finding a size-stable partition of a graph [13].

The rest of the paper: In Section 2.1 we will recall the notions of terms and term automata [10], and we will state the definitions of types and type equivalence from the paper by Palsberg and Zhao [14]. In Section 3 we prove our main result. Applications to **Java** and an implementation of our algorithm are discussed Section 4. Subtyping of recursive types is discussed in Section 5. Concluding remarks and future directions appear in Section 6.

2 Definitions

This section has all the relevant definitions. Term automata and representation of types are described in Subsection 2.1. A definition of type equivalence for recursive types in terms of bisimulation is give in Subsection 2.2. An efficient algorithm for determining whether two types are equivalent is given in Section 3.

2.1 Terms and Term Automata

Here we give a general definition of (possibly infinite) terms over an arbitrary finite ranked alphabet Σ . Such terms are essentially labeled trees, which we represent as partial functions labeling strings over ω (the natural numbers) with elements of Σ .

Let Σ_n denote the set of elements of Σ of arity n . Let ω denote the set of natural numbers and let ω^* denote the set of finite-length strings over the alphabet ω .

A *term* over Σ is a partial function

$$t : \omega^* \rightarrow \Sigma$$

satisfying the following properties:

- the domain of t is nonempty and prefix-closed;
- if $t(\alpha) \in \Sigma_n$, then $\{i \mid \alpha i \in \text{the domain of } t\} = \{0, 1, \dots, n-1\}$.

Let t be a term and $\alpha \in \omega^*$. Define the partial function $t \downarrow \alpha : \omega^* \rightarrow \Sigma$ by $t \downarrow \alpha(\beta) = t(\alpha\beta)$. If $t \downarrow \alpha$ has nonempty domain, then it is a term, and is called the *subterm of t at position α* .

A term t is said to be *regular* if it has only finitely many distinct subterms; that is, if $\{t \downarrow \alpha \mid \alpha \in \omega^*\}$ is a finite set.

Every regular term over a finite ranked alphabet Σ has a finite representation in terms of a special type of automaton called a *term automaton*. A term automaton over Σ is a tuple

$$A = (Q, \Sigma, q_0, \delta, \ell)$$

where:

- Q is a finite set of *states*,
- $q_0 \in Q$ is the *start state*,

- $\delta : Q \times \omega \rightarrow Q$ is a partial function called the *transition function*, and
- $\ell : Q \rightarrow \Sigma$ is a (total) *labeling function*,

such that for any state $q \in Q$, if $\ell(q) \in \Sigma_n$ then

$$\{i \mid \delta(q, i) \text{ is defined}\} = \{0, 1, \dots, n-1\}.$$

The partial function δ extends naturally to an inductively-defined partial function:

$$\begin{aligned} \hat{\delta} &: Q \times \omega^* \rightarrow Q \\ \hat{\delta}(q, \epsilon) &= q \\ \hat{\delta}(q, \alpha i) &= \delta(\hat{\delta}(q, \alpha), i). \end{aligned}$$

For any $q \in Q$, the domain of the partial function $\lambda\alpha.\hat{\delta}(q, \alpha)$ is nonempty (it always contains ϵ) and prefix-closed. Moreover, because of the condition on the existence of i -successors in the definition of term automata, the partial function

$$\lambda\alpha.\ell(\hat{\delta}(q, \alpha))$$

is a term.

Let A be a term automaton. The term *represented by* A is the term

$$t_A = \lambda\alpha.\ell(\hat{\delta}(q_0, \alpha)).$$

A term t is said to be *representable* if $t = t_A$ for some A .

Intuitively, $t_A(\alpha)$ is determined by starting in the start state q_0 and scanning the input α , following transitions of A as far as possible. If it is not possible to scan all of α because some i -transition along the way does not exist, then $t_A(\alpha)$ is undefined. If on the other hand A scans the entire input α and ends up in state q , then $t_A(\alpha) = \ell(q)$.

It is straightforward to show that a term t is regular if and only if it is representable. Moreover, a term t is regular if and only if it can be described by a finite set of equations involving the μ operator.

2.2 Recursive Types and Type Equivalence

A type is a regular term over the ranked alphabet

$$\Sigma = \Gamma \cup \{\rightarrow\} \cup \{\prod^n, n \geq 2\},$$

where Γ is a set of base types, \rightarrow is binary, and \prod^n is of arity n . Given a type σ , if $\sigma(\epsilon) = \rightarrow$, $\sigma(0) = \sigma_1$, and $\sigma(1) = \sigma_2$, then we write the type as $\sigma_1 \rightarrow \sigma_2$. If $\sigma(\epsilon) = \prod^n$ and $\sigma(i) = \sigma_i$, $\forall i \in \{0, 1, \dots, n-1\}$, then we write the type σ as $\prod_{i=0}^{n-1} \sigma_i$.

Palsberg and Zhao [14] presented three equivalent definitions of type equivalence. Here we will work with the one which is based on the idea of bisimilarity. A relation R on types is called a *bisimulation* if it satisfies the following three conditions:

- if $(\sigma, \tau) \in R$, then $\sigma(\epsilon) = \tau(\epsilon)$
- if $(\sigma_1 \rightarrow \sigma_2, \tau_1 \rightarrow \tau_2) \in R$, then $(\sigma_1, \tau_1) \in R$ and $(\sigma_2, \tau_2) \in R$
- if $(\prod_{i=0}^{n-1} \sigma_i, \prod_{i=0}^{n-1} \tau_i) \in R$, then there exists a bijection $b : \{0..n-1\} \rightarrow \{0..n-1\}$ such that $\forall i \in \{0..n-1\}, (\sigma_i, \tau_{b(i)}) \in R$.

Bisimulations are closed under union, therefore, there exists a largest bisimulation

$$\mathcal{R} = \bigcup \{ R \mid R \text{ is a bisimulation} \}.$$

It is straightforward to show that \mathcal{R} is an equivalence relation. Two types τ_1 and τ_2 are said to be *equivalent* (denoted by $\tau_1 \cong \tau_2$) iff $(\tau_1, \tau_2) \in \mathcal{R}$.

3 An Efficient Algorithm for Type Equivalence

Assume that we are given two types τ_1 and τ_2 that are represented as two term automata A_1 and A_2 . Lemma 1 proves that $\tau_1 \cong \tau_2$ (or $(\tau_1, \tau_2) \in \mathcal{R}$) if and only if there is a reflexive bismulation C between A_1 and A_2 such that the initial states of the term automata A_1 and A_2 are related by C . Lemma 3 essentially reduces the problem of finding a reflexive bisimulation C between A_1 and A_2 to finding a size-stable coarsest partition [13]. Theorem 4 uses the algorithm of Paige and Tarjan to determine in $O(n \log n)$ time (n is the sum of the sizes of the two term automata) whether there exists a reflexive bisimulation between C_1 and C_2 .

Throughout this section, we will use A_1, A_2 to denote two term automata over the alphabet Σ :

$$\begin{aligned} A_1 &= (Q_1, \Sigma, q_{01}, \delta_1, \ell_1) \\ A_2 &= (Q_2, \Sigma, q_{02}, \delta_2, \ell_2). \end{aligned}$$

We assume that $Q_1 \cap Q_2 = \emptyset$. Define $Q = Q_1 \cup Q_2$. Define also $\delta : Q \times \omega \rightarrow Q$ where $\delta = \delta_1 \oplus \delta_2$, and $\ell : Q \rightarrow \Sigma$, where $\ell = \ell_1 \oplus \ell_2$, where \oplus denotes disjoint union of two functions. We say that A_1, A_2 are *bisimilar* if and only if there exists a relation $C \subseteq Q \times Q$, called a bisimulation between A_1 and A_2 , such that:

- if $(q, q') \in C$, then $\ell(q) = \ell(q')$
- if $(q, q') \in C$ and $\ell(q) = \rightarrow$, then $(\delta(q, 0), \delta(q', 0)) \in C$ and $(\delta(q, 1), \delta(q', 1)) \in C$
- if $(q, q') \in C$ and $\ell(q) = \prod^n$, then there exists a bijection $b : \{0..n-1\} \rightarrow \{0..n-1\}$ such that $\forall i \in \{0..n-1\}: (\delta(q, i), \delta(q', b(i))) \in C$.

Notice that the bisimulations between A_1 and A_2 are closed under union, therefore, there exists a largest bisimulation between A_1 and A_2 . It is straightforward to show that the identity relation on Q is a bisimulation, and that any reflexive bisimulation is an equivalence relation. Hence, the largest bisimulation is an equivalence relation.

Lemma 1. For types τ_1, τ_2 that are represented by the term automata A_1, A_2 , respectively, we have $(\tau_1, \tau_2) \in \mathcal{R}$ if and only if there is a reflexive bisimulation C between A_1 and A_2 such that $(q_{01}, q_{02}) \in C$.

Proof. Suppose $(\tau_1, \tau_2) \in \mathcal{R}$. Define:

$$C = \{ (q, q') \in Q \times Q \mid (\lambda\alpha.\ell(\hat{\delta}(q, \alpha)), \lambda\alpha.\ell(\hat{\delta}(q', \alpha))) \in \mathcal{R} \}.$$

It is straightforward to show that C is a bisimulation between A_1 and A_2 , and that $(q_{01}, q_{02}) \in C$, we omit the details.

Conversely, let C be a reflexive bisimulation between A_1 and A_2 such that $(q_{01}, q_{02}) \in C$. Define:

$$R = \{ (\sigma_1, \sigma_2) \mid (q, q') \in C \wedge \sigma_1 = \lambda\alpha.\ell(\hat{\delta}(q, \alpha)) \wedge \sigma_2 = \lambda\alpha.\ell(\hat{\delta}(q', \alpha)) \}$$

From $(q_{01}, q_{02}) \in C$, we have $(\tau_1, \tau_2) \in R$. It is straightforward to prove that R is a bisimulation, we omit the details. From $(\tau_1, \tau_2) \in R$ and R being a bisimulation, we conclude that $(\tau_1, \tau_2) \in \mathcal{R}$. \square

A *partitioned graph* is a 3-tuple (U, E, P) , where U is a set of nodes, $E \subseteq U \times U$ is an edge relation, and P is a *partition* of U . A partition P of U is a set of pairwise disjoint subsets of U whose union is all of U . The elements of P are called its *blocks*. If P and S are partitions of U , then S is a *refinement* of P if and only if every block of S is contained in a block of P .

A partition S of a set U can be characterized by an equivalence relation K on U such that each block of S is an equivalence class of K . If U is a set and K is an equivalence relation on U , then we use U/K to denote the partition of U into equivalence classes for K .

A partition S is *size-stable* if and only if for all blocks $B_1, B_2 \in S$, and for all $x, y \in B_1$, we have $|E(x) \cap B_2| = |E(y) \cap B_2|$, where $E(x)$ is the following set

$$\{y \mid (x, y) \in E\}.$$

We will repeatedly use the following characterization of size-stable partitions.

Lemma 2. For an equivalence relation K , we have that U/K is size-stable if and only if for all $(u, u') \in K$, there exists a bijection $\pi : E(u) \rightarrow E(u')$ such that for all $u_1 \in E(u)$, we have $(u_1, \pi(u_1)) \in K$.

Proof. Suppose that U/K is size-stable. Let $(u, u') \in K$. Let B_1 be the block of U/K which contains u and u' . For each block B_2 of U/K , we have that $|E(u) \cap B_2| = |E(u') \cap B_2|$. So, for each block B_2 of U/K , we can construct a bijection from $E(u) \cap B_2$ to $E(u') \cap B_2$, such that for all $u_1 \in E(u) \cap B_2$, we have $(u_1, \pi(u_1)) \in K$. These bijections can then be merged to single bijection $\pi : E(u) \rightarrow E(u')$ with the desired property.

Conversely, suppose that for all $(u, u') \in K$, there exists a bijection $\pi : E(u) \rightarrow E(u')$ such that for all $u_1 \in E(u)$, we have $(u_1, \pi(u_1)) \in K$. Let $B_1, B_2 \in U/K$, and let $x, y \in B_1$. We have that $(x, y) \in K$, so there exists a bijection $\pi : E(x) \rightarrow E(y)$ such that for all $u_1 \in E(x)$, we have $(u_1, \pi(u_1)) \in K$. Each element of $E(x) \cap B_2$ is mapped by π to an element of $E(y) \cap B_2$. Moreover, each element of $E(y) \cap B_2$ must be the image under π of an element of $E(x) \cap B_2$. We conclude that π restricted to $E(x) \cap B_2$ is a bijection to $E(y) \cap B_2$, so $|E(x) \cap B_2| = |E(y) \cap B_2|$. \square

Given two term automata A_1, A_2 , we define a partitioned graph (U, E, P) :

$$\begin{aligned}
U &= Q \cup \{ \langle q, i \rangle \mid q \in Q \wedge \delta(q, i) \text{ is defined} \} \\
E &= \{ (q, \langle q, i \rangle) \mid \delta(q, i) \text{ is defined} \} \\
&\quad \cup \{ (\langle q, i \rangle, \delta(q, i)) \mid \delta(q, i) \text{ is defined} \} \\
L &= \{ (q, q') \in Q \times Q \mid \ell(q) = \ell(q') \} \\
&\quad \cup \{ (\langle q, i \rangle, \langle q', i' \rangle) \mid \ell(q) = \ell(q') \text{ and if } \ell(q) = \rightarrow, \text{ then } i = i' \} \\
P &= U/L.
\end{aligned}$$

The graph contains one node for each state and transition in A_1, A_2 . Each transition in A_1, A_2 is mapped to two edges in the graph. This construction ensures that if a node in the graph corresponds to a state labeled Π^n , then that node will have n distinct successors in the graph. This is convenient when establishing a bijection between the successors of two nodes labeled Π^n .

The equivalence relation L creates a distinction between the two successors of a node that corresponds to a state labeled \rightarrow . This is done by ensuring that if $(\langle q, i \rangle, \langle q, i' \rangle) \in L$ and $\ell(q) = \rightarrow$, then $i = i'$. This is convenient when establishing a bijection between the successors of two nodes labeled \rightarrow .

Lemma 3. *There exists a reflexive bisimulation C between A_1 and A_2 such that $(q_{01}, q_{02}) \in C$ if and only if there exists a size-stable refinement S of P such that q_{01} and q_{02} belong to the same block of S .*

Proof. Let $C \subseteq Q \times Q$ be a reflexive bisimulation between A_1 and A_2 such that $(q_{01}, q_{02}) \in C$. Define an equivalence relation $K \subseteq U \times U$ such that:

$$\begin{aligned}
K &= C \\
&\quad \cup \{ (\langle q, i \rangle, \langle q', i \rangle) \mid (q, q') \in C \wedge \ell(q) = \ell(q') = \rightarrow \} \\
&\quad \cup \{ (\langle q, i \rangle, \langle q', i' \rangle) \mid (q, q') \in C \wedge (\delta(q, i), \delta(q', i')) \in C \\
&\quad \quad \quad \wedge \ell(q) = \ell(q') \wedge \ell(q) \neq \rightarrow \} \\
S &= U/K.
\end{aligned}$$

From $(q_{01}, q_{02}) \in C$, we have $(q_{01}, q_{02}) \in K$, so q_{01} and q_{02} belong to the same block of S . We will now show that S is a size-stable refinement of P .

Let $(u, u') \in K$. From Lemma 2 we have that it is sufficient to show that there exists a bijection $\pi : E(u) \rightarrow E(u')$, such that for all $u_1 \in E(u)$, we have $(u_1, \pi(u_1)) \in K$. There are three cases.

First, suppose $(u, u') \in C$. We have

$$\begin{aligned}
E(u) &= \{ \langle u, i \rangle \mid \delta(u, i) \text{ is defined} \} \\
E(u') &= \{ \langle u', i' \rangle \mid \delta(u', i') \text{ is defined} \}.
\end{aligned}$$

Let us consider each of the possible cases of u and u' . If $\ell(u) = \ell(u') \in \Gamma$, then $E(u) = E(u') = \emptyset$, and the desired bijection trivially exists. Next, if $\ell(u) = \ell(u') = \rightarrow$, then

$$\begin{aligned}
E(u) &= \{ \langle u, 0 \rangle, \langle u, 1 \rangle \} \\
E(u') &= \{ \langle u', 0 \rangle, \langle u', 1 \rangle \},
\end{aligned}$$

so the desired bijection is $\pi : E(u) \rightarrow E(u')$, where $\pi(\langle u, 0 \rangle) = \langle u', 0 \rangle$ and $\pi(\langle u, 1 \rangle) = \langle u', 1 \rangle$, because $(\langle u, 0 \rangle, \langle u', 0 \rangle) \in K$ and $(\langle u, 1 \rangle, \langle u', 1 \rangle) \in K$. Finally, if $\ell(u) = \ell(u') = \prod^n$, then

$$\begin{aligned} E(u) &= \{ \langle u, i \rangle \mid \delta(u, i) \text{ is defined} \} \\ E(u') &= \{ \langle u', i' \rangle \mid \delta(u', i') \text{ is defined} \}. \end{aligned}$$

From $(u, u') \in C$, we have a bijection $b : \{0..n-1\} \rightarrow \{0..n-1\}$ such that $\forall i \in \{0..n-1\} : (\delta(u, i), \delta(u', b(i))) \in C$. From that, the desired bijection can be constructed.

Second, suppose $u = \langle q, i \rangle$ and $u' = \langle q', i' \rangle$, where $(q, q') \in C$, and $\ell(q) = \ell(q') \Rightarrow$. We have

$$\begin{aligned} E(u) &= \{ \delta(q, i) \} \\ E(u') &= \{ \delta(q', i') \}, \end{aligned}$$

and from $(q, q') \in C$ we have $(\delta(q, i), \delta(q', i')) \in C \subseteq K$, so the desired bijection exists.

Third, suppose $u = \langle q, i \rangle$ and $u' = \langle q', i' \rangle$, where $(q, q') \in C$, $(\delta(q, i), \delta(q', i')) \in C$, $\ell(q) = \ell(q')$, and $\ell(q) \neq$. We have

$$\begin{aligned} E(u) &= \{ \delta(q, i) \} \\ E(u') &= \{ \delta(q', i') \}, \end{aligned}$$

and $(\delta(q, i), \delta(q', i')) \in C \subseteq K$, so the desired bijection exists.

Conversely, let S be a size-stable refinement of P such that q_{01} and q_{02} belong to the same block of S . Define:

$$\begin{aligned} K &= \{ (u, u') \in U \times U \mid u, u' \text{ belong to the same block of } S \} \\ C &= K \cap (Q \times Q). \end{aligned}$$

Notice that $(q_{01}, q_{02}) \in C$ and that C is reflexive. We will now show that C is a bisimulation between A and A' .

First, suppose $(q, q') \in C$. From S being a refinement of P we have $(q, q') \in L$, so $\ell(q) = \ell(q')$.

Second, suppose $(q, q') \in C$ and $\ell(q) \Rightarrow$. From the definition of E we have

$$\begin{aligned} E(q) &= \{ \langle q, 0 \rangle, \langle q, 1 \rangle \} \\ E(q') &= \{ \langle q', 0 \rangle, \langle q', 1 \rangle \}. \end{aligned}$$

From S being size-stable, $(q, q') \in C \subseteq K$, and Lemma 2 we have that there exists a bijection $\pi : E(q) \rightarrow E(q')$ such that for all $u \in E(q)$ we have that $(u, \pi(u)) \in K$. From $K \subseteq L$ and $\ell(q) \Rightarrow$ we have that there is only one possible bijection π :

$$\begin{aligned} \pi(\langle q, 0 \rangle) &= \langle q', 0 \rangle \\ \pi(\langle q, 1 \rangle) &= \langle q', 1 \rangle, \end{aligned}$$

so $(\langle q, 0 \rangle, \langle q', 0 \rangle) \in K$ and $(\langle q, 1 \rangle, \langle q', 1 \rangle) \in K$. From the definition of E we have, for $i \in \{0, 1\}$,

$$\begin{aligned} E(\langle q, i \rangle) &= \delta(q, i) \\ E(\langle q', i \rangle) &= \delta(q', i), \end{aligned}$$

and since S is size-stable, we have, for $i \in \{0, 1\}$, $(\delta(q, i), \delta(q', i)) \in K$. Moreover, for $i \in \{0, 1\}$, $(\delta(q, i), \delta(q', i)) \in Q \times Q$, so we conclude, $(\delta(q, i), \delta(q', i)) \in C$.

Third, suppose $(q, q') \in C$ and $\ell(q) = \Pi^n$. From the definition of E we have

$$\begin{aligned} E(q) &= \{ \langle q, i \rangle \mid \delta(q, i) \text{ is defined} \} \\ E(q') &= \{ \langle q', i \rangle \mid \delta(q', i) \text{ is defined} \}. \end{aligned}$$

Notice that $|E(q)| = |E(q')| = n$. From S being size-stable, $(q, q') \in C \subseteq K$, and Lemma 2, we have that there exists a bijection $\pi : E(q) \rightarrow E(q')$ such that for all $u \in E(q)$ we have that $(u, \pi(u)) \in K$. From π we can derive a bijection $b : \{0..n-1\} \rightarrow \{0..n-1\}$ such that $\forall i \in \{0..n-1\}$: $(\langle q, i \rangle, \langle q', b(i) \rangle) \in K$. From the definitions of E and E' we have that for $i \in \{0..n-1\}$,

$$\begin{aligned} E(\langle q, i \rangle) &= \{ \delta(q, i) \} \\ E(\langle q', i \rangle) &= \{ \delta(q', i) \}, \end{aligned}$$

and since S is size-stable, and, for all $i \in \{0..n-1\}$, $(\langle q, i \rangle, \langle q', b(i) \rangle) \in K$, we have $(\delta(q, i), \delta(q', b(i))) \in K$. Moreover, $(\delta(q, i), \delta(q', b(i))) \in Q \times Q$, so we conclude $(\delta(q, i), \delta(q', b(i))) \in C$. \square

Size of a term automata $A = (Q, \Sigma, q_0, \delta, l)$ is $|Q| + |\delta|$, i.e., the sum of the number of states and transitions in the automata.

Theorem 4. *For types τ_1, τ_2 that can be represented by term automata A_1, A_2 of size at most n , we can decide $(\tau_1, \tau_2) \in \mathcal{R}$ in $O(n \log n)$ time.*

Proof. From Lemma 1 we have that $(\tau_1, \tau_2) \in \mathcal{R}$ if and only if there is a reflexive bisimulation C between A_1 and A_2 such that $(q_{01}, q_{02}) \in C$. From Lemma 3 we have that there exists a reflexive bisimulation C between A_1 and A_2 such that $(q_{01}, q_{02}) \in C$ if and only if there exists a size-stable refinement S of P such that q_{01} and q_{02} belong to the same block of S .

Paige and Tarjan [13] give an $O(m \log p)$ algorithm to find the coarsest size-stable refinement of P , where m is the size of E and p is the size of the universe U .

Our algorithm first constructs (U, E, P) from A_1 and A_2 , then runs the Paige-Tarjan algorithm to find the coarsest size-stable refinement S of P , and finally checks whether q_{01} and q_{02} belong to the same block of S .

If A_1 and A_2 are of size at most n , then the size of E is at most $2n$, and the size of U is at most $2n$, so the total running time of our algorithm is $O(2n \log(2n)) = O(n \log n)$. \square

4 Applications and Implementation

It is straightforward to map a **Java** type to a type of the form considered in this paper. A collection of method signatures can be mapped to a product type, a single method signature can be mapped to a function type, and in case a method has more than one argument, the list of arguments can be mapped to a product type. Recursion, direct or indirect, is expressed with the μ operator. This section provides an example of **Java** interfaces and provides an illustration of our algorithm.

<pre>interface I₁ { float m₁(I₁ a); int m₂(I₂ a); }</pre>	<pre>interface I₂ { I₁ m₃(float a); I₂ m₄(float a); }</pre>
------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------

Figure 1: Interfaces I_1 and I_2

<pre>interface J₁ { J₁ n₁(float a); J₂ n₂(float a); }</pre>	<pre>interface J₂ { int n₃(J₁ a); float n₄(J₂ a); }</pre>
------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------

Figure 2: Interfaces J_1 and J_2

Suppose we are given the two sets of Java interfaces shown in Figures 1 and 2. We would like to find out whether interface I_1 is “structurally equal” to or “matches” with interface J_2 . We want a notion of equality for which interface names and method names do not matter, and for which the order of the methods in an interface and the order of the arguments of a method do not matter.

Notice that interface I_1 is recursively defined. The method m_1 takes an argument of type I_1 and returns a floating point number. In the following, we use names of interfaces and methods to stand for their type structures. The type of method m_1 can be expressed as $I_1 \rightarrow \text{float}$. The symbol \rightarrow stands for the function type constructor. Similarly, the type of m_2 is $I_2 \rightarrow \text{int}$. We can then capture the structure of I_1 with conventional μ -notation for recursive types:

$$I_1 = \mu\alpha.(\alpha \rightarrow \text{float}) \times (I_2 \rightarrow \text{int})$$

The symbol α is the type variable bound to the type I_1 by the symbol μ . The interface type I_1 is a product type with the symbol \times as the type constructor. Since we think of the methods of interface I_1 as unordered, we could also write the structure of I_1 as

$$\begin{aligned} I_1 &= \mu\alpha.(I_2 \rightarrow \text{int}) \times (\alpha \rightarrow \text{float}) , \\ I_2 &= \mu\delta.(\text{float} \rightarrow I_1) \times (\text{float} \rightarrow \delta) . \end{aligned}$$

In the same way, the structures of the interfaces J_1, J_2 are:

$$\begin{aligned} J_1 &= \mu\beta.(\text{float} \rightarrow \beta) \times (\text{float} \rightarrow J_2) \\ J_2 &= \mu\eta.(J_1 \rightarrow \text{int}) \times (\eta \rightarrow \text{float}). \end{aligned}$$

Trees corresponding to the two types are shown in Figures 3 and 4. The interface types I_1, J_2 are equivalent iff there exists a one-to-one mapping or a bijection from the methods in I_1 to the methods in J_2 such that each pair of methods in the bijection relation have the same type. The types of two methods are equal iff the types of the arguments and the return types are equal.

The equality of the interface types I_1 and J_2 can be determined by trying out all possible orderings of the methods in each interface and comparing the two types in the form of finite




Figure 3: Trees for interfaces I_1 and I_2




Figure 4: Trees for interfaces J_1 and J_2

automata. In this case, there are only few possible orderings. However, if the number of methods is large and/or some methods take many arguments, the above approach becomes time consuming because the number of possible orderings grows exponentially.

Next, we illustrate how our algorithm determines that equivalence between the types. Details of the algorithm can be found in [13]. Consider two types I_1 and J_1 defined earlier. The set of types corresponding to the two interfaces are:

$$\begin{aligned} &\{I_1, I_2, m_1, m_2, m_3, m_4, int, float\} \\ &\{J_1, J_2, n_1, n_2, n_3, n_4, int, float\} \end{aligned}$$

Figure 5 shows various steps of our algorithm. The blocks in the first row are based on labels, e.g., states labeled with \times are in the same block. In the next step, the block containing the methods are split based on the type of the result of the method, e.g., methods m_1 and n_4 both return $float$, so they are in the same block. In the next step (corresponding to the third row) the block $\{I_1, I_2, J_1, J_2\}$ are split. The final partition, where block $\{m_3, m_4, n_1, n_2\}$ is split, is shown in the fourth row.




Figure 5: Blocks of types

Our algorithm can be tuned to take a specific user needs into account. This is done simply by modifying the definition of the equivalence relation L . For example, suppose a user cares about the order of the arguments to a method. This means that the components of the product type that models the argument list should not be allowed to be shuffled during type matching. We can prevent shuffling by employing the same technique that the current definition of L uses for function types. The idea is to insist that two component types may only be matched when they have the same component index.

Another example of the tunability of our algorithm involves the modifiers in **Java**. Suppose a programmer is developing a product that is multi-threaded. In this case the programmer may only want to match **synchronized** methods with other **synchronized** methods. This can be handled easily in our framework by changing L such that two method types may only be matched when they are both synchronized. On the other hand if the user is working on a single-threaded product, the keyword **synchronized** can be ignored. The same observation applies to other modifiers such as **static**.

4.1 implementation

We have implemented the algorithm with Java and the current version is based on the code written by WanJun Wang. The implementation and documentation are freely available at

<http://www.cs.purdue.edu/homes/tzhao/matching/matching.htm> .

The current version has a graphical user interface so that users may input type definitions written in a file and also may specify restrictions on type isomorphism.

Suppose we are given the following file with four Java interfaces.

```

interface I1 {
    float m1 (I1 a, int b);
    int m2 (I2 a);
}

interface I2 {
    J2 m3 (float a);
    I1 m4 (float a);
}

interface J1 {
    I1 n1 (float a);
    J2 n2 (float a);
}

interface J2 {
    int n3 (J1 a);
    float n4 (int a, J2 b);
}

```

The implementation, as illustrated in the Figure 6, will read and parse the input file and then transform the type definitions into partitions of numbers with each type definition and dummy type assigned a unique number. The partitions will be refined by Paige-Tarjan algorithm until it is *size-stable* as defined in this paper. Finally, we will be able to read the results from the final partitions. Two types are isomorphic if the numbers assigned to them are in the same partition.

The implementation will give the following output:

$$\begin{aligned}
 I_1 &= J_2 \\
 I_2 &= J_1
 \end{aligned}$$




Figure 6: Schematic diagram for the implementation




Figure 7: screen shot

$$\begin{aligned}
 I_1.m_1 &= J_2.n_4 \\
 I_2.m_3 &= I_2.m_4 = J_1.n_1 = J_1.n_2 \\
 I_1.m_2 &= J_2.n_3 .
 \end{aligned}$$

We can see that the types of interfaces I_2 and J_1 are isomorphic and moreover, all method types of I_2, J_1 match. Suppose that we have additional information about the method types such that only method m_3 and n_1 should have isomorphic types. We can restrict the type matching by adding $I_2.m_3 = J_1.n_1$ to the *restrictions* window of the user interface. The new matching result is illustrated by the screen shot in figure 7.

Note that we are able to focus on the matching of two interface types such as I_2, J_1 as in *focus* windows of figure 7, where I_2, J_1 are matched and their methods are matched one to one.

```

interface  $I_1$  {
   $I_1$   $m(real\ i, boolean\ b);$ 
   $boolean\ p(I_1\ j);$ 
}

```

Figure 8: Interface I_1

```

interface  $I_2$  {
   $I_2\ m(int\ i, boolean\ b);$ 
}

```

Figure 9: Interface I_2

5 Subtyping of Recursive Types

In this section we discuss subtyping and formalize it using the simulation relation. We also discuss reasons why the algorithm given in Section 3 is not applicable to subtyping of recursive types. Assume that an object O implements the interface I_1 shown in Figure 8, and a user is looking for an interface I_2 of the form shown in Figure 9. Interfaces I_1 and I_2 can be mapped to the following recursive types:

$$\begin{aligned}
\tau_1 &= \mu\alpha.((real \times boolean) \rightarrow \alpha) \times (\alpha \rightarrow boolean) \\
\tau_2 &= \mu\beta.(int \times boolean) \rightarrow \beta
\end{aligned}$$

Assuming that *int* is a subtype of *real* (we can always coerce integers into reals) we have τ_1 is a subtype of τ_2 . Therefore, the user can use the interface I_1 . There are several points to notice from this example. In the context of subtyping, we need two kinds of products: one that models a collection of methods and another that models sequence of parameters. In our example, the user only specified a type corresponding to method m . Therefore, during the subtyping algorithm method p should be ignored. However, the parameters of method m are also modeled using products and none of these can be ignored. Therefore, we consider two types of product type constructors in our type systems and the subtyping rule for these two types of products are different.

As stated before, A type is a regular term over the ranked alphabet

$$\Sigma = \Gamma \cup \{\rightarrow\} \cup \{\prod^n, n \geq 2\} \cup \{\times^n, n \geq 2\}$$

Roughly speaking, \prod^n and \times^n will model collection of parameters and methods respectively. Also assume that we are given a subtyping relation on the base types Γ . If τ_1 is a subtype of τ_2 , we will write it as $\tau_1 \preceq \tau_2$. A relation S is called a *simulation* on types if it satisfies the following conditions:

- if $(\sigma, \tau) \in S$ and $\sigma(\epsilon) \in \Gamma$, then $\tau(\epsilon) \in \Gamma$ and $\sigma(\epsilon) \preceq \tau(\epsilon)$.

- if $(\sigma, \tau) \in S$ and $\sigma(\epsilon) \in (\{\rightarrow\} \cup \{\prod^n, n \geq 2\})$, then $\sigma(\epsilon) = \tau(\epsilon)$.
- if $(\sigma_1 \rightarrow \sigma_2, \tau_1 \rightarrow \tau_2) \in S$, then $(\tau_1, \sigma_1) \in S$ and $(\sigma_2, \tau_2) \in S$.
- if $(\prod_{i=0}^{n-1} \sigma_i, \prod_{i=0}^{n-1} \tau_i) \in S$, then there exists a bijection $b : \{0 \cdots n-1\} \rightarrow \{0 \cdots n-1\}$ such that for all $i \in \{0 \cdots n-1\}$, we have $(\sigma_i, \tau_{b(i)}) \in S$.
- Suppose $(\sigma, \tau) \in S$, $\sigma(\epsilon) = \times^n$, and $\sigma = \times_{i=0}^{n-1} \sigma_i$. If $\tau(\epsilon) \notin \{\times^m, m \geq 2\}$, then there exists a $j \in \{0 \cdots n-1\}$ such that $(\sigma_j, \tau) \in S$. Otherwise, assume that $\tau(\epsilon) = \times^m$, where $m \leq n$ and $\tau = \times_{i=0}^{m-1} \tau_i$. In this case, then there exists a one-to-one function $c : \{0 \cdots m-1\} \rightarrow \{0 \cdots n-1\}$ such that for all $i \in \{0 \cdots m-1\}$, we have $(\sigma_{c(i)}, \tau_i) \in S$. Notice that this rule allows ignoring certain components of σ .

As is the case with bisimulations, simulations are closed under union, therefore there exists a largest simulation (denoted by \mathcal{S}).

Let A_1, A_2 denote two term automata over Σ :

$$\begin{aligned} A_1 &= (Q_1, \Sigma, q_{01}, \delta_1, \ell_1) \\ A_2 &= (Q_2, \Sigma, q_{02}, \delta_2, \ell_2). \end{aligned}$$

We assume that $Q_1 \cap Q_2 = \emptyset$. Define $Q = Q_1 \cup Q_2$. Define also $\delta : Q \times \omega \rightarrow Q$ where $\delta = \delta_1 \oplus \delta_2$, and $\ell : Q \rightarrow \Sigma$, where $\ell = \ell_1 \oplus \ell_2$, where \oplus denotes disjoint union of two functions. We say that A_2 *simulates* A_1 (denoted by $A_1 \preceq A_2$) if and only if there exists a relation $D \subseteq Q \times Q$, called a *simulation relation* between A_1 and A_2 , such that:

- if $(q, q') \in D$ and $\ell(q) \in \Gamma$, then $\ell(q') \in \Gamma$ and $\ell(q) \preceq \ell(q')$.
- if $(q, q') \in D$ and $\ell(q) \in (\{\rightarrow\} \cup \{\prod^n, n \geq 2\})$, then $\ell(q) = \ell(q')$.
- if $(q, q') \in D$ and $\ell(q) = \rightarrow$, then $(\delta(q, 0), \delta(q', 0)) \in D$ and $(\delta(q, 1), \delta(q', 1)) \in D$.
- if $(q, q') \in D$ and $\ell(q) = \prod^n$, then there exists a bijection $b : \{0 \cdots n-1\} \rightarrow \{0 \cdots n-1\}$ such that for all $i \in \{0 \cdots n-1\}$, we have $(\delta(q, i), \delta(q', i)) \in D$.
- Suppose $(q, q') \in D$ and $\ell(q) = \times^n$. If $\ell(q') \notin \{\times^m, m \geq 2\}$, then there exists a $j \in \{0 \cdots n-1\}$ such that $(\delta(q, j), q') \in D$. Otherwise, assume that $\ell(q') = \times^m$, where $m \leq n$ and In this case, then there exists a one-to-one function $c : \{0 \cdots m-1\} \rightarrow \{0 \cdots n-1\}$ such that for all $i \in \{0 \cdots m-1\}$, we have $(\delta(q, c(i)), \delta(q', i)) \in D$.

Notice that the simulations between A_1 and A_2 are closed under union, therefore, there exists a largest simulation between A_1 and A_2 . Proof of lemma 5 is similar to the proof of lemma 1 and is omitted.

Lemma 5. *Assume that types τ_1 and τ_2 are represented as term automata A_1 and A_2 respectively. Then $(\tau_1, \tau_2) \in \mathcal{S}$ if and only if there exists a simulation D between A_1 and A_2 such that $(q_{01}, q_{02}) \in D$.*

The largest simulation between the term automata A_1 and A_2 is given by the following greatest fix-point

$$\nu D. sim(q, q', D) .$$

where $D \subseteq Q_1 \times Q_2$ and the predicate $sim(q, q', D)$ is the conjunction of the five conditions which appear in the definition of the simulation relation between two automata. Let n and m be the size of the term automata A_1 and A_2 respectively. Since nm is a bound on the size of D , the number of iterations in computing the greatest fix-point is bounded by nm . In general, the relation D (or for that matter the simulation relation) is not symmetric. On the other hand, the bisimulation relation was an equivalence relation, and so could be represented as a partition on the set $Q_1 \cup Q_2$, or in other words, partitions give us a representation of an equivalence relation that is linear in the sum of the sizes of the set of states Q_1 and Q_2 . The Paige-Tarjan algorithm uses the partition representation of the equivalence relation. Since D is not symmetric (and thus not an equivalence relation), it cannot be represented by a partition. This is the crucial reason why our previous algorithm cannot be used for subtyping.

6 Conclusion

In this paper we addressed the problem of matching recursive types. We present an algorithm with $O(n \log n)$ time complexity that determines whether two types are equivalent. To our knowledge, this is the most efficient algorithm for this problem. Our results are applicable to the problem of matching signatures of software components, a core algorithm required by systems such as Polyspin and Mockingbird. Applications to Java were also discussed. Issues related to subtyping of recursive types were also addressed.

There are several directions for future work. First, we would like to find applications of our type matching algorithm. We would also like to explore whether information generated by our algorithm can be used for efficiently generating bridge-code between components. We would also like to investigate efficient algorithms for subtyping of recursive types.

References

- [1] Roberto M. Amadio and Luca Cardelli. Subtyping recursive types. *ACM Transactions on Programming Languages and Systems*, 15(4):575–631, 1993. Also in Proceedings of POPL’91.
- [2] Joshua Auerbach, Charles Barton, and Mukund Raghavachari. Type isomorphisms with recursive types. Research report RC 21247, IBM Research Division, T. J. Watson Research Center, Yorktown Heights, NY, August 1998.
- [3] Joshua Auerbach and Mark C. Chu-Carroll. The Mockingbird system: A compiler-based approach to maximally interoperable distributed programming. Research report RC 20718, IBM Research Division, T. J. Watson Research Center, Yorktown Heights, NY, February 1997.
- [4] Daniel J. Barrett, Alan Kaplan, and Jack C. Wileden. Automated support for seamless interoperability in polylingual software systems. In *ACM SIGSOFT’96, Fourth Symposium on the Foundations of Software Engineering*, San Francisco, California, October 1996.

- [5] B. Boehm and B. Scherlis. Megaprogramming. In *Proceedings of DARPA Software Technology Conference*, April 28-30, Meridien Corporation, Arlington, VA 1992.
- [6] Michael Brandt and Fritz Henglein. Coinductive axiomatization of recursive type equality and subtyping. In *Proceedings of TLCA'97, 3rd International Conference on Typed Lambda Calculus and Applications*, 1997.
- [7] Kim B. Bruce, Roberto Di Cosmo, and Giuseppe Longo. Provable isomorphisms of types. *Mathematical Structures in Computer Science*, 2(2):231–247, 1992.
- [8] Roberto Di Cosmo. *Isomorphisms of Types: from λ -calculus to information retrieval and language design*. Birkhäuser, 1995.
- [9] Trevor Jim and Jens Palsberg. Type inference in systems of recursive types with subtyping. Manuscript, 1997.
- [10] Dexter Kozen, Jens Palsberg, and Michael I. Schwartzbach. Efficient recursive subtyping. *Mathematical Structures in Computer Science*, 5(1):113–125, 1995. Preliminary version in Proceedings of POPL'93, Twentieth Annual SIGPLAN–SIGACT Symposium on Principles of Programming Languages, pages 419–428, Charleston, South Carolina, January 1993.
- [11] Paliath Narendran, Frank Pfenning, and Richard Statman. On the unification problem for Cartesian closed categories. In *Proceedings, Eighth Annual IEEE Symposium on Logic in Computer Science*, pages 57–63. IEEE Computer Society Press, 1993.
- [12] OMG. The common object request broker: Architecture and specification. Technical report, Object Management Group, 1999. Version 2.3.1.
- [13] Robert Paige and Robert Tarjan. Three partition refinement algorithms. *SIAM Journal on Computing*, 16(6):973–989, December 1987.
- [14] Jens Palsberg and Tian Zhao. Efficient and flexible matching of recursive types. *Information and Computation*, to appear. Preliminary version in Proceedings of LICS'00, Fifteenth Annual IEEE Symposium on Logic in Computer Science, pages 388–398, Santa Barbara, California, June 2000.
- [15] Mikael Rittri. Retrieving library identifiers via equational matching of types. In M. E. Stickel, editor, *Proceedings of the 10th International Conference on Automated Deduction*, volume 449 of *LNAI*, pages 603–617, Kaiserslautern, FRG, July 1990. Springer Verlag.
- [16] Mikael Rittri. Using types as search keys in function libraries. *Journal of Functional Programming*, 1(1):71–89, 1991.
- [17] Mikael Rittri. Retrieving library functions by unifying types modulo linear isomorphism. *RAIRO Theoretical Informatics and Applications*, 27(6):523–540, 1993.
- [18] Sergei V. Soloviev. The category of finite sets and cartesian closed categories. *Journal of Soviet Mathematics*, 22:1387–1400, 1983.
- [19] G. Wiederhold, P. Wegner, and S. Ceri. Towards Megaprogramming: A paradigm for component-based programming. *Communications of the ACM*, 35(11):89–99, November 1992.

- [20] A. M. Zaremski and J. M. Wing. Signature matching: a tool for using software libraries. *ACM Transactions on Software Engineering Methodology*, 4(2):146–170, April 1995.
- [21] A. M. Zaremski and J. M. Wing. Specification matching of software components. In *Proceedings of 3rd ACM SIGSOFT Symposium on the Foundation of Software Engineering*, pages 6–17, 1995.