

# CS/ECE 252: INTRODUCTION TO COMPUTER ENGINEERING

## UNIVERSITY OF WISCONSIN—MADISON

Prof. Karthikeyan Sankaralingam, Pradip Vallathol

TAs: Deepika Muthukumar, Lisa Ossian, Sujith Surendran, Murali Sivalingam

*Midterm Examination 1*

*In Class (50 minutes)*

*Friday, February 7, 2014*

*Weight: 17.5%*

**NO: BOOK(S), NOTE(S), OR CALCULATORS OF ANY SORT.**

The exam has **ten** pages. **Circle your final answers.** Plan your time carefully since some problems are longer than others. You **must turn in the pages 1-8.**

LAST NAME: \_\_\_\_\_

FIRST NAME: \_\_\_\_\_

ID# \_\_\_\_\_

**Problem 1****(2 Points)**

Label the following items/terms according to their level of abstraction relative to one another. Label the most abstract term as 1 and least abstract as 6.

3	Code in High level language (C/C++/Java)
4	Instruction Set Architecture (ISA)
1	Problem Statement
5	Micro Architecture
2	Algorithm to solve problem
6	Transistors (CMOS or NMOS)

**Problem 2****(1 Point)**

Explain why natural languages cannot be used as programming languages?

They are ambiguous, imprecise

**Problem 3**

**( 2 points )**

Assume that we had a "black box," which takes two numbers as input and outputs their sum, as shown in Figure 1(a). Also assume that we had another box capable of multiplying two numbers together, as shown in Figure 1(b). We can connect these boxes together to compute  $p \times (m + n)$ , as shown in Figure 1(c).





Fig 1. "Black boxes" capable of (a) Addition, (b) Multiplication and (c) A combination of both

Now, assume we have unlimited number of these boxes (ie, the ones shown in Fig 1(a) and 1(b)). Show how to connect them together to compute  $m * n * p + 5$



**Problem 4****(2 Points)**

In 1900, assume that we needed just 5 bits to uniquely represent everyone living in Madison. Also assume that the population of Madison at present is 10 times the population in 1900. What is the minimum number of bits required to uniquely represent everyone presently living in Madison?

Total population in 1900 =  $2^5 = 32$   
Total population now =  $32 * 10 = 320$   
=> No of bits required =  $\log_2(320) = 9$

**Problem 5****(3 Points)**

Using 8 bits to represent each number, write the representations of 18, -18 in signed magnitude, 1's complement and 2's complement notations.

Number	Signed Magnitude	1's complement	2's complement
18	00010010	00010010	00010010
-18	10010010	11101101	11101110

**Problem 6****(6 points)**

Fill in the table below with the largest and smallest decimal numbers that can be represented with:

- a) 5-bit unsigned number
- b) 5-bit signed magnitude number
- c) 5-bit 2's complement number

(Note: -2 is smaller than -1)

Representation	Largest Decimal Number that can be represented using this representation	Smallest Decimal Number that can be represented using this representation
5-bit unsigned number	$2^5 - 1 = 31$	0
5-bit signed magnitude number	$-(2^{(5-1)} - 1) = -15$	$2^{(5-1)} - 1 = 15$
5-bit 2's complement number	$-2^{(5-1)} = -16$	$2^{(5-1)} - 1 = 15$

**Problem 7****(2 points)**

Perform binary arithmetic for the following pairs of 8-bit 2's complement numbers

a)

$$\begin{array}{r}
 10101001 \\
 + 00111100 \\
 \hline
 11100101
 \end{array}$$

b)

$$\begin{array}{r}
 00010000 \\
 - 11100010 \\
 \hline
 00101110
 \end{array}$$

**Problem 8****(4 points)**

Perform the specified logical operations on the following 16-bit numbers expressed in hexadecimal representation. Express your result in **hexadecimal** (base 16).

$$\begin{aligned} \text{a) NOT}(xCDEF) \\ &= \text{NOT}(1100110111101111) \\ &= (0011\ 0010\ 0001\ 0000) \\ &= 0x3210 \end{aligned}$$

$$\text{b) } xCDEF \text{ OR } xF123$$

$$\begin{aligned} &= 1100110111101111 \text{ OR } 1111000100100011 \\ &= 1111110111101111 = 0xFDEF \end{aligned}$$

**Problem 10****(2 points)**

Represent the decimal 3.5 in fixed point notation

$$\begin{aligned} 3 &= 011 \\ .5 &= 1/2 = 2^{-1} = 0.1 \\ \Rightarrow \text{Ans: } &11.1 \end{aligned}$$

**Problem 11****(4 points)**

Convert the decimal value -12.125 into its single-precision floating point representation. Write your answer in hexadecimal

$$\begin{aligned} 12 &= 1100 \\ .125 &= 1/8 = 2^{-3} = 0.001 \\ &= 1100.001 = 1.100001 \times 2^{-3} \\ \text{Exponent} - 127 &= 3 \Rightarrow \text{Exponent} = 130 = 10000010 \\ \text{Mantissa/Fraction} &= 100001 \\ \text{Sign} &= 0 \\ \Rightarrow \text{Ans: } &1\ 10000010\ 100001000000000000000000 = 0xC1420000 \end{aligned}$$

**Problem 9**

**(2 points)**

Convert the ASCII string "Se7en!" to its hexadecimal representation. Only represent the characters within the quotation marks and assume it is null terminated. **Hint: See ASCII to hexadecimal table on the last page of the exam.**

Ans : 0x 53 65 37 65 6e 21 00

## ASCII Table

Character	Hex	Character	Hex	Character	Hex	Character	Hex
nul	00	sp	20	@	40	`	60
soh	01	!	21	A	41	a	61
stx	02	“	22	B	42	b	62
etx	03	#	23	C	43	c	63
eot	04	\$	24	D	44	d	64
enq	05	%	25	E	45	e	65
ack	06	&	26	F	46	f	66
bel	07	‘ ( <i>Apostr.</i> )	27	G	47	g	67
bs	08	(	28	H	48	h	68
ht	09	)	29	I	49	i	69
lf	0A	*	2A	J	4A	j	6A
vt	0B	+	2B	K	4B	k	6B
ff	0C	, ( <i>Comma</i> )	2C	L	4C	l	6C
cr	0D	-	2D	M	4D	m	6D
so	0E	. ( <i>Period</i> )	2E	N	4E	n	6E
si	0F	/	2F	O	4F	o	6F
dle	10	0	30	P	50	p	70
dc1	11	1	31	Q	51	q	71
dc2	12	2	32	R	52	r	72
dc3	13	3	33	S	53	s	73
dc4	14	4	34	T	54	t	74
nak	15	5	35	U	55	u	75
syn	16	6	36	V	56	v	76
etb	17	7	37	W	57	w	77
can	18	8	38	X	58	x	78
em	19	9	39	Y	59	y	79
sub	1A	:	3A	Z	5A	z	7A
esc	1B	:	3B	[	5B	{	7B
fs	1C	<	3C	\	5C		7C
gs	1D	=	3D	]	5D	}	7D
rs	1E	>	3E	^	5E	~	7E
us	1F	?	3F	_ ( <i>Undrscre</i> )	5F	del	7F



**Extra page for handwritten work, if needed. This page is not required and will NOT affect your grade. You don't even need to hand this page in.**