

CS-537: Midterm Exam (Fall 2004)
Exam III: Revenge of the Sith

Please Read All Questions Carefully!

There are eight (7) total numbered pages.

Please put your Name and student ID on this page and your student ID (but NOT YOUR NAME) on every other page.

Name and Student ID: _____

Grading Page

	Points	Total Possible
Part II: Long Answers		$(2 \times 20) \rightarrow 100$
Total		100

3. Do I-no-de answer?

In this question, we consider a non-standard Unix file system, which instead of using inodes, instead stores most information about a file in the directory entry for that file. We call our new system the *Inode-Free File System*, or *IFFS*.

- (a) Of the following, which are usually found in a standard Unix inode? **Circle all that apply:**
- i. Direct pointers to data blocks
 - ii. The name of the file
 - iii. Some statistics about when the file has been accessed, updated, etc.
 - iv. The inode number of the file's parent directory
 - v. The current position of the file pointer
- (b) In a standard Unix file system, how many **disk reads** would it take to read a single block from the file */this/path/is/toolong* from disk? (you should assume nothing is cached, i.e., everything starts on disk)
- (c) Now compare this to the number of reads it would take to read a single block from the same file */this/path/is/toolong* in IFFS. (again assume nothing is cached, i.e., everything starts on disk)
- (d) IFFS doesn't support **hard links**. Why do you think so? (explain)

