



Reinforcement Learning Part 2

CS 760@UW-Madison





Goals for the lecture

you should understand the following concepts

- value functions and value iteration (review)
- Q functions and Q learning (review)
- exploration vs. exploitation tradeoff
- compact representations of Q functions
- reinforcement learning example



Value function for a policy

- given a policy $\pi : S \rightarrow A$ define

$$V^\pi(s) = \sum_{t=0}^{\infty} \gamma^t E[r_t]$$

assuming action sequence chosen according to π starting at state s

- we want the optimal policy π^* where

$$\rho^* = \arg \max_{\rho} V^\rho(s) \quad \text{for all } s$$

we'll denote the value function for this optimal policy as $V^*(s)$

Q function and Bellman equation



define a new function, closely related to V^*

$$Q(s, a) \leftarrow E[r(s, a)] + \gamma E_{s'|s, a} [V^*(s')]$$

Key property (Bellman equation):

$$\pi^*(s) \leftarrow \arg \max_a Q(s, a) \quad V^*(s) \leftarrow \max_a Q(s, a)$$

If we know $V^*(s)$, $r(s, a)$, and $P(s_t | s_{t-1}, a_{t-1})$ we can compute $\pi^*(s)$

Value iteration for learning $V^*(s)$



initialize $V(s)$ arbitrarily

loop until policy good enough

{

 loop for $s \in S$

 {

 loop for $a \in A$

 {

$$Q(s, a) \leftarrow r(s, a) + \gamma \sum_{s' \in S} P(s' | s, a) V(s')$$

 }

$$V(s) \leftarrow \max_a Q(s, a)$$

 }

}

Q learning update rule



for each s, a initialize table entry $\hat{Q}(s, a) \leftarrow 0$

observe current state s

do forever

 select an action a and execute it

 receive immediate reward r


 observe the new state s'

 update table entry

$$\hat{Q}(s, a) \leftarrow r + \gamma \max_{a'} \hat{Q}(s', a')$$

$$s \leftarrow s'$$

Q 's vs. V 's



- Which action do we choose when we're in a given state?
- V 's (model-based)
 - need to have a 'next state' function to generate all possible states
 - choose next state with highest V value.
- Q 's (model-free)
 - need only know which actions are legal
 - generally choose next state with highest Q value.



Exploration vs. Exploitation

- in order to learn about better alternatives, we shouldn't always follow the current policy (**exploitation**)
- sometimes, we should select random actions (**exploration**)
- one way to do this: select actions probabilistically according to:

$$P(a_i | s) = \frac{c^{\hat{Q}(s, a_i)}}{\sum_j c^{\hat{Q}(s, a_j)}}$$

where $c > 0$ is a constant that determines how strongly selection favors actions with higher Q values

Q learning with a table



As described so far, Q learning entails filling in a huge table


		states				
		s_0	s_1	s_2	\dots	s_n
actions	a_1			.		
	a_2			.		
	a_3	\dots		$Q(s_2, a_3)$		
	.					
	.					
	.					
a_k						

A table is a very verbose way to represent a function

Representing Q functions more compactly



We can use some other function representation (e.g. a neural net) to compactly encode a substitute for the big table



each input unit encodes
a property of the state
(e.g., a sensor value)

or could have one net
for each possible action

Why use a compact Q function?



1. Full Q table may not fit in memory for realistic problems
2. Can **generalize across states**, thereby speeding up convergence
i.e. one instance 'fills' many cells in the Q table

Notes

1. When generalizing across states, cannot use $\alpha=1$
2. Convergence proofs only apply to Q tables
3. Some work on bounding errors caused by using compact representations (e.g. Singh & Yee, *Machine Learning* 1994)

Q tables vs. Q nets



Given: 100 Boolean-valued features
10 possible actions

Size of Q table

10×2^{100} entries

Size of Q net (assume 100 hidden units)

$100 \times 100 + 100 \times 10 = 11,000$ weights

weights between
inputs and HU's

weights between
HU's and outputs

Representing Q functions more compactly



- we can use other regression methods to represent Q functions
 - k -NN
 - regression trees
 - support vector regression
 - etc.

Q learning with function approximation



1. measure sensors, sense state s_0
2. predict $\hat{Q}_n(s_0, a)$ for each action a
3. select action a to take (with randomization to ensure exploration)
4. apply action a in the real world
5. sense new state s_1 and immediate reward r
6. calculate action a' that maximizes $\hat{Q}_n(s_1, a')$
7. train with new instance

$$\mathbf{x} = s_0$$


$$y \leftarrow (1 - \alpha)\hat{Q}(s_0, a) + \alpha[r + \gamma \max_{a'} \hat{Q}(s_1, a')]$$

Calculate Q-value you would have put into Q-table, and use it as the training label

Optional: Example



ML example: reinforcement learning to control an autonomous helicopter



video of Stanford University autonomous helicopter from <http://heli.stanford.edu/>


Stanford autonomous helicopter



sensing the helicopter's state

- orientation sensor
 - accelerometer
 - rate gyro
 - magnetometer
- GPS receiver (“2cm accuracy as long as its antenna is pointing towards the sky”)
- ground-based cameras

actions to control the helicopter



Experimental setup for helicopter



1. Expert pilot demonstrates the airshow several times



2. Learn a reward function based on desired trajectory
3. Learn a dynamics model
4. Find the optimal control policy for learned reward and dynamics model
5. Autonomously fly the airshow



6. Learn an improved dynamics model. Go back to step 4

Learning dynamics model $P(s_{t+1} | s_t, a)$



- state represented by helicopter's

position (x, y, z)

velocity $(\dot{x}, \dot{y}, \dot{z})$

angular velocity (W_x, W_y, W_z)

- action represented by manipulations of 4 controls

(u_1, u_2, u_3, u_4)

- dynamics model predicts accelerations as a function of current state and actions
- accelerations are integrated to compute the predicted next state

Learning dynamics model $P(s_{t+1} | s_t, a)$



dynamics
model

$$\ddot{x}^b = A_x \dot{x}^b + g_x^b + w_x,$$

$$\ddot{y}^b = A_y \dot{y}^b + g_y^b + D_0 + w_y,$$

$$\ddot{z}^b = A_z \dot{z}^b + g_z^b + C_4 u_4 + D_4 + w_z,$$

$$\dot{\omega}_x^b = B_x \omega_x^b + C_1 u_1 + D_1 + w_{\omega_x},$$

$$\dot{\omega}_y^b = B_y \omega_y^b + C_2 u_2 + D_2 + w_{\omega_y},$$

$$\dot{\omega}_z^b = B_z \omega_z^b + C_3 u_3 + D_3 + w_{\omega_z}.$$

- A, B, C, D represent model parameters
- g represents gravity vector
- w 's are random variables representing noise and unmodeled effects
- linear regression task!



Learning a desired trajectory

- repeated expert demonstrations are often suboptimal in different ways
- given a set of M demonstrated trajectories

$$y_j^k = \begin{bmatrix} s_j^k \\ u_j^k \end{bmatrix} \quad \text{for } j = 0, \dots, N-1, k = 0, \dots, M-1$$

action on j^{th} step of trajectory k state on j^{th} step of trajectory k

- try to infer the implicit desired trajectory

$$z_t = \begin{bmatrix} s_t^* \\ u_t^* \end{bmatrix} \quad \text{for } t = 0, \dots, H$$

Learning a desired trajectory



colored lines: demonstrations of two loops
black line: inferred trajectory




Figure from Coates et al., *CACM* 2009

Learning reward function



- EM is used to infer desired trajectory from set of demonstrated trajectories
- The reward function is based on deviations from the desired trajectory

Finding the optimal control policy



- finding the control policy is a reinforcement learning task

$$\pi^* \leftarrow \arg \max_{\pi} E \left[\sum_t r(s_t, a) \mid \pi \right]$$

- RL learning methods described earlier don't quite apply because state and action spaces are both continuous
- A special type of Markov decision process in which the optimal policy can be found efficiently
 - reward is represented as a linear function of state and action vectors
 - next state is represented as a linear function of current state and action vectors
- They use an iterative approach that finds an approximate solution because the reward function used is quadratic



THANK YOU

Some of the slides in these lectures have been adapted/borrowed from materials developed by Mark Craven, David Page, Jude Shavlik, Tom Mitchell, Nina Balcan, Elad Hazan, Tom Dietterich, and Pedro Domingos.

