

CS 368 Announcements

Wednesday, November 20, 2013

Program p4 - due Wednesday, November 27

Last Time

- console I/O
- overloading >>
- error states
- file I/O

Today

- finish Ch. 9 (Input and Output)
- string class
- C strings
- C I/O
- manipulators

Next Time

- Ch. 7 (Templates)
- templated functions
- templated classes

File I/O Example (from fileIO.cpp)

```
ifstream inFile("inFile.txt");
if (!inFile) {
    cerr << "Unable to open inFile.txt for reading" << endl;
    return 1;
}

ofstream outFile("outFile.txt");
if (!outFile) {
    cerr << "Unable to open outFile.txt for writing" << endl;
    return 1;
}

char ch;
while (inFile.get(ch)) {
    switch (ch) {
        case 'a': case 'A':
        case 'e': case 'E':
        case 'i': case 'I':
        case 'o': case 'O':
        case 'u': case 'U':
            outFile << '*';
            break;
        default:
            outFile << ch;
    }
}

inFile.close();
outFile.close();
```

string Class

In string library (#include <string>)

Overloaded support for == != > >= < <= =

C++ strings are mutable

Useful member functions:

Recommendation:

- use **string** library
- convert to and from C-style as needed
but do all string operations using **string** library

C-Style Strings

C-style string = an array of characters ending in '\0'

Library support in `cstring` (need to `#include <cstring>`):

```
int      strlen( const char *str )

char *  strcpy( char *LHS, char *RHS )

char *  strcat( char *LHS, char *RHS )

int      strcmp( const char *LHS, const char *RHS )
```

File I/O Example (from fileIO.cpp)

```
int countLines(string & fileName) {  
  
    ifstream myFile(fileName.c_str());  
  
    if (myFile) {  
  
        int count = 0;  
  
-----  
  
        //VERSION 1: C style strings  
        // uses a char array and member function getline()  
        char line[100];  
        while (!myFile.getline(line, 100).eof()) {  
            count++;  
            cout << "Line " << count << ":" << line << endl;  
        }  
  
-----  
  
        //VERSION 2: C++ style strings  
        // uses a string object and free function getline()  
        string line;  
        while (!getline(myFile, line).eof()) {  
            count++;  
            cout << "Line " << count << ":" << line << endl;  
        }  
  
-----  
  
        myFile.close();  
        return count;  
  
    } else {  
        cerr << "Unable to open " << fileName  
            << " in countLines" << endl;  
        myFile.close();  
        return -1;  
    }  
}
```

C-Style I/O

Standard I/O library (inherited from C): #include <cstdio>

Console I/O

- To write to standard output, use
- To read from standard input, use

File I/O

- To write to a file, use
- To read from a file, use

Never mix I/O libraries in a single program!

Example

```
#include <cstdio>

using namespace std;

int main() {
    int x = 1234;
    double y = 8763.1415;
    char str[20] = "cs368";

    printf("x is %d, y is %f, str is %s\n", x, y, str);

    printf("%-20d %11.6f %s\n", x, y, str);

    printf("%-20d %11.6f %s\n", 97215, 12.34,
           "November");

    printf("Enter a number and a string: ");
    scanf("%d %s", &x, str);

    printf("x is %d, str is %s\n", x, str);
}
```

Formatting Output using Manipulators

```
#include <iostream>
#include <iomanip>
#include <string>

using namespace std;

int main() {
    int x = 1234;
    double y = 8763.1415;
    string str = "cs368";

    cout << "x is " << x << ", y is " << y <<", str is "
        << str << endl;

    cout << left << setw(20) << x << " "
        << right << setw(11) << setprecision(6)
        << fixed << y << " "
        << str << endl;

    cout << left << setw(20) << 97215 << " "
        << right << setw(11) << setprecision(6)
        << fixed << 12.34 << " "
        << "November" << endl;

    cout << "Enter a number and a string: ";
    cin >> x >> str;
    cout << "x is " << x << ", str is " << str << '\n';
}
```