CS 536 — Fall 2018

Programming Assignment 5 CSX Code Generator

Due: Thursday, December 13, 2018

Your final assignment is to write methods in the class CodeGenerating that walk the AST for a CSX program and generate JVM assembler code. Your main program will call the CSX parser. If the parse is successful, the type checker is called. If the program contains no type errors, the code generator is called.

The CSX source program to be compiled is named on the compiler's command line or entered through a GUI. Error messages are written to standard output, and the JVM code generated is placed in file name.j where name is the identifier that names the CSX class.

A complete code generator for CSX-lite may be found at the following URL: http://www.cs.wisc.edu/~fischer/cs536.f18/course/proj5/startup/eclipse.

The Code Generator

You will generate assembler code for the Java Virtual Machine (JVM). This is the same target machine that Java compilers assume. You will assemble the symbolic JVM instructions your compiler generates using the **Jasmin** assembler. Jasmin documentation is available on its homepage, which is linked to the class homepage (under "Useful Programming Tools"). The JVM instruction set (often called "bytecodes") is also described in the Jasmin documentation. Jasmin produces a standard format ".class" file, which can be executed using java, just as compiled Java programs are.

You will initiate code generation by creating an instance of class CodeGenerating by calling the constructor

new CodeGenerating(PrintStream asmFile)

The file parameter is the file into which JVM instructions are to be written. You then call the boolean-valued method startCodeGen(root) where root is the root of the AST built by the parser. This method will begin traversal of the AST, generating JVM code into asmFile.

Your code generator is only expected to handle type-correct programs; don't worry about translating type-incorrect programs. If any errors are detected during code generation, startCodeGen should return false; the contents of asmFile need not be valid. If no errors are detected by the code generator, true is returned and the contents of asmFile should be a valid JVM assembly program that can be assembled using jasmin.

Consider the following simple CSX program:

```
class simple{
    void main() {
        int a;
        read(a);
        print("Answer = ", 2*a+1, '\n');
    }
}
```

This program might be translated into the following JVM assembler code:

```
; This is a public class named simple
.class public simple
.super java/lang/Object ; The superclass is Object
; JVM interpreters start execution at main(String[])
.method public static main([Ljava/lang/String;)V
invokestatic simple/main()V
                                ; call main()
                                : then return
return
.limit stack 2
                                ; Max stack depth needed
.end method
                                ; End of body of main(String[])
.method public static main()V ; Beginning of main()
invokestatic CSXLib/readInt()I; Call CSXLib.readInt()
istore 0
                                ; Store int read into local 0 (a)
ldc "Answer = "
                                ; Push string literal onto stack
   Call CSXLib.printString(String)
;
invokestatic CSXLib/printString(Ljava/lang/String;)V
ldc 2
                                ; Push 2 onto stack
iload 0
                                ; Push local 0 (a) onto stack
imul
                                ; Multiply top two stack values
ldc 1
                                ; Push 1 onto stack
iadd
                                ; Add top two stack values
invokestatic CSXLib/printInt(I)V ; Call CSXLib.printInt(int)
ldc 10
                                ; Push 10 ('\n') onto stack
invokestatic CSXLib/printChar(C)V
                                      ; Call CSXLib.printChar(char)
return
                                ; return from main()
.limit stack 25
                                ; Max stack depth needed(overestimate)
.limit locals 1
                                ; Number of local variables used
.end method
                                ; End of body of main()
```

This program would be written into file simple.j, since the name of the CSX class is simple. The following command could be used to assemble the program into simple.class:

jasmin simple.j simple.class would then be executed using the command java simple

Translating AST Nodes

The following table outlines what your code generator is expected to do for each kind of AST node. Details of the translation process will be discussed in class and in handouts. Further information may also be found in the class notes.

Kind of AST Node	Code Generator Action
classNode	Generate beginning of class; generate body of main(String[]); translate members.
memberDeclsNode	Translate fields, then methods.
fieldDeclsNode	Translate thisField, then moreFields.
methodDeclsNode	Translate thisMethod, then moreMethods.
varDeclNode	Allocate a field or local variable index for varName. If initValue is non-null, translate it and generate code to store initValue into varName.
constDeclNode	Allocate a field or local variable index for constName; translate constValue; generate code to store constValue into constName.
arrayDeclNode	Allocate a field or local variable index for arrayName; generate code to allocate an array of type elementType whose size is arraySize; generate code to store a reference to the array in arrayName's field or local variable.
methodDeclNode	Generate the method's prologue; translate args; translate decls; translate stmts; generate the method's epilogue.
argDeclsNode	Translate thisDecl, then moreDecls.
valArgDeclNode	Allocate a local variable index to hold the value of a scalar parameter.
refArrayDeclNode	Allocate a local variable index to hold a reference to an array parameter.
stmtsNode	Translate thisStmt, then moreStmts.
asgNode	If source is an array, generate code to clone it and save a refer- ence to the clone in target. If source is a string literal, generate code to convert it to a char- acter array and save a reference to the array in target. If target is an indexed array, generate code to push a reference to the array (using varName), then translate target.sub- scriptVal. Translate source; generate code to store source's value in target.

Kind of AST Node	Code Generator Action
incrementNode decrementNode	If target.subscriptVal is null generate code to push tar- get.varName's value onto stack. Push the integer 1 and gener- ate an iadd or isub. Then store stack top into target.varName.
	Otherwise push the array reference stored at target.varName. Translate target.subscriptVal. Duplicate top two stack values using dup2. Generate an iaload or caload. Then push integer 1 and generate iadd or isub. Finally, generate an ias- tore or castore
ifThenNode	Translate condition; generate code to conditionally branch around thenPart; trans- late thenPart; generate a jump past elsePart; translate elsePart.
whileLoopNode	Create assembler labels for head-of-loop and loop-exit. If label is non-null store head-of-loop and loop-exit in label's symbol table entry. Generate head-of-loop label; translate condition; generate a conditional branch to loop-exit label; translate loopBody; generate a jump to head-of-loop; generate loop-exit label.
readNode	Generate a call to CSXLib.readInt() or CSXLib.read- Char() depending on the type of targetVar; generate a store into targetVar; translate moreReads.
printNode	Translate outputValue; generate a call to CSXLib.printString(String) or CSX- Lib.printInt(int) or CSXLib.printChar(char) or CSXLib.printBool(boolean) or CSXLib.print- CharArray(char[]), depending on the type of out- putValue; translate morePrints.
callNode	Translate procArgs; generate a static call to procName.
returnNode	If returnVal is non-null then translate it and generate an ireturn; otherwise generate a return.
breakNode	Generate a jump to the loop-exit label stored in label's symbol table entry.
continueNode	Generate a jump to the head-of-loop label stored in label's symbol table entry.
blockNode	Translate decls; translate stmts;

Kind of AST Node	Code Generator Action
argsNode	Translate argVal; translate moreArgs.
binaryOpNode	If operator is && or translate like an ifThenNode Otherwise: translate leftOperand; translate rightOperand; generate JVM instruction corresponding to operatorCode.
unary0pCode	Translate operand; generate JVM instruction corresponding to operatorCode.
fctCallNode	Translate functionArgs; generate a static call to procName.
castNode	If resutltType is bool and operand is an int or char then if operand is non-zero generate code to convert it to 1 (which represents true). If resutltType is char and operand is an int then gener- ate code to extract the rightmost 7 bits of operand.
name	If subscriptVal is null generate code to push value at varName's field name or local variable index. Otherwise, generate code to push the array reference stored at varName's field name or local variable index; translate subscriptVal; generate an iaload or baload or caload based on var- Name's element type.
intLitNode	Generate code to push intval onto the stack.
bitStringNode	Generate code to push intValue onto the stack.
charLitNode	Generate code to push charval onto the stack.
trueNode	Generate an iconst_1.
falseNode	Generate an iconst_0.
strLitNode	Push strval onto stack using ldc instruction.
nullNode	Do nothing.
intTypeNode	Do nothing.
boolTypeNode	Do nothing.
charTypeNode	Do nothing.
identNode	Do nothing (name or index of identifier is used by parent nodes based on context).

How to Proceed

Start with simple constructs like read, print, assignment and simple expressions. Implement harder constructs like ifs, loops and methods after the simpler constructs are working. For each construct you implement, you have two things to do. First, you must decide *what* JVM code you want to generate. Try out the code you selected by creating (by hand) simple Jasmin assembler programs. Run them to verify that the code you selected really works.

Once you know the code you selected is viable, modify your code generator to generate that code. Look at the output of your code generator (the name.j file) to verify that what is generated *looks* correct. If the output looks correct, run it through Jasmin and java to verify that it *is* correct.

Once you've implemented a few simple constructs, you'll see how it all works. You can then add additional features until all of CSX is supported.

If you're in doubt as to what JVM code to generate, here's a useful trick. CSX programs closely correspond to Java classes (with all fields and methods declared static). Create a Java program that's equivalent to a particular CSX program. Compile the Java program using your favourite Java compiler (perhaps javac). Then run

javap -c file

where file.class is the class file created by javac. This will show you the JVM instructions selected by the Java compiler (in a slightly different format than that used by Jasmin). In most cases these instructions could be generated by your compiler to translate the CSX program in question.

Be careful that the JVM instructions that you generate don't try to access operands that aren't on the stack. Such instructions are illegal and can cause the Java interpreter (java) to crash.

What to hand in

As was the case for Project 4, your program should expect the name of a CSX program to be compiled on its command line (if no program name is found, a GUI will prompt you to enter one). If the CSX program is invalid, appropriate error messages should be written to standard out- put. Otherwise a translation of the CSX program should be placed in name.j where name is the program's class name. name.j should be executable using jasmin and then java.

Create a folder (directory) and name it using your first and last name (e.g., CharlesFischer). Copy into this folder a README file, a build.xml file and all source files necessary to build an executable version of your program (.java source files, a csx.jlex file and a csx.cup file). Do not hand in any.class files. Name the class that contains your main method CSX.java. Electronically submit your folder to the Project 5 tab on Canvas. You may compress your handin folder into a single file using zip if you wish. Partners should submit only one solution. The other partner should submit only a README file identifying the partnership.

You may test your CSX compiler using the test programs at this URL: <u>http://www.cs.wisc.edu/~fischer/cs536.f18/course/proj5/tests/.</u> These programs are named test-00.csx, test-01.csx,.... Create a file named CSXtests that contains the results produced by compiling, assembling and running each of these programs. We'll also run your compiler on a variety of our own test programs.

If you wish to claim extra credit, *clearly* state (in the README file) what you've added and include examples of its operation.