

Error Detection in LALR Parsers

In bottom-up, LALR parsers syntax errors are discovered when a blank (error) entry is fetched from the parser action table.

Let's again trace how the following illegal CSX-lite program is parsed:

{ b + c = a; } Eof

Parse Stack	Top State	Action	Remaining Input
0	Prog $\rightarrow \bullet \{ \text{Stmts} \} \text{Eof}$	Shift	{ b + c = a; } Eof

Parse Stack	Top State	Action	Remaining Input
1 0	Prog $\rightarrow \{ \bullet \text{Stmts} \} \text{Eof}$ Stmts $\rightarrow \bullet \text{Stmt} \text{Stmts}$ Stmts $\rightarrow \lambda \bullet$ Stmt $\rightarrow \bullet \text{id} = \text{Expr} ;$ Stmt $\rightarrow \bullet \text{if} (\text{Expr})$	Shift	b + c = a; } Eof
4 1 0	Stmt $\rightarrow \text{id} \bullet = \text{Expr} ;$	Error (blank)	+ c = a; } Eof

LALR is More Powerful

Essentially all LL(1) grammars are LALR(1) plus many more. Grammar constructs that confuse LL(1) are readily handled.

- Common prefixes are no problem. Since sets of configurations are tracked, more than one prefix can be followed. For example, in

Stmt $\rightarrow \text{id} = \text{Expr} ;$

Stmt $\rightarrow \text{id} (\text{Args}) ;$

after we match an id we have

Stmt $\rightarrow \text{id} \bullet = \text{Expr} ;$

Stmt $\rightarrow \text{id} \bullet (\text{Args}) ;$

The next token will tell us which production to use.

- Left recursion is also not a problem. Since sets of configurations are tracked, we can follow a left-recursive production *and* all others it might use. For example, in

Expr $\rightarrow \bullet \text{Expr} + \text{id}$

Expr $\rightarrow \bullet \text{id}$

we can first match an id:

Expr $\rightarrow \text{id} \bullet$

Then the Expr is recognized:

Expr $\rightarrow \text{Expr} \bullet + \text{id}$

The left-recursion is handled!

- But ambiguity will still block construction of an LALR parser. Some shift/reduce or reduce/reduce conflict must appear. (Since two or more distinct parses are possible for some input).

Consider our original productions for if-then and if-then-else statements:

Stmt \rightarrow **if** (**Expr**) **Stmt** •

Stmt \rightarrow **if** (**Expr**) **Stmt** • **else Stmt**

Since **else** can follow **Stmt**, we have an unresolvable shift/reduce conflict.

Grammar Engineering

Though LALR grammars are very general and inclusive, sometimes a reasonable set of productions is rejected due to shift/reduce or reduce/reduce conflicts.

In such cases, the grammar may need to be “engineered” to allow the parser to operate.

A good example of this is the definition of **MemberDecls** in CSX. A straightforward definition is

MemberDecls \rightarrow **FieldDecls** **MethodDecls**
FieldDecls \rightarrow **FieldDecl** **FieldDecls**
FieldDecls \rightarrow λ
MethodDecls \rightarrow **MethodDecl** **MethodDecls**
MethodDecls \rightarrow λ
FieldDecl \rightarrow **int id** ;
MethodDecl \rightarrow **int id** () ; **Body**

When we predict **MemberDecls** we get:

MemberDecls \rightarrow • **FieldDecls** **MethodDecls**
FieldDecls \rightarrow • **FieldDecl** **FieldDecls**
FieldDecls \rightarrow λ •
FieldDecl \rightarrow • **int id** ;

Now **int** follows **FieldDecls** since **MethodDecls** \Rightarrow^+ **int** ...

Thus an unresolvable shift/reduce conflict exists.

The problem is that **int** is derivable from both **FieldDecls** and **MethodDecls**, so when we see an **int**, we can't tell which way to parse it (and **FieldDecls** \rightarrow λ requires we make an immediate decision!).

If we rewrite the grammar so that we can delay deciding from where the **int** was generated, a valid LALR parser can be built:

MemberDecls \rightarrow **FieldDecl** **MemberDecls**
MemberDecls \rightarrow **MethodDecls**
MethodDecls \rightarrow **MethodDecl** **MethodDecls**
MethodDecls \rightarrow λ
FieldDecl \rightarrow **int id** ;
MethodDecl \rightarrow **int id** () ; **Body**

When **MemberDecls** is predicted we have

MemberDecls \rightarrow • **FieldDecl** **MemberDecls**
MemberDecls \rightarrow • **MethodDecls**
MethodDecls \rightarrow • **MethodDecl** **MethodDecls**
MethodDecls \rightarrow λ •
FieldDecl \rightarrow • **int id** ;
MethodDecl \rightarrow • **int id** () ; **Body**

Now **Follow(MethodDecls)** = **Follow(MemberDecls)** = "}", so we have no shift/reduce conflict. After **int id** is matched, the next token (a ";" or "(") will tell us whether a **FieldDecl** or a **MethodDecl** is being matched.

Properties of LL and LALR Parsers

- Each prediction or reduce action is *guaranteed* correct. Hence the entire parse (built from LL predictions or LALR reductions) must be correct.

This follows from the fact that LL parsers allow only one valid prediction per step. Similarly, an LALR parser never skips a reduction if it is consistent with the current token (and *all* possible reductions are tracked).

- LL and LALR parsers detect an syntax error as soon as the first invalid token is seen.

Neither parser can match an invalid program prefix. If a token is matched it *must be* part of a valid program prefix. In fact, the prediction made or the stacked configuration sets *show* a possible derivation of the token accepted so far.

- All LL and LALR grammars are unambiguous.

LL predictions are always unique and LALR shift/reduce or reduce/reduce conflicts are disallowed. Hence only one valid derivation of any token sequence is possible.

- All LL and LALR parsers require only linear time and space (in terms of the number of tokens parsed).

The parsers do only fixed work per node of the concrete parse tree, and the size of this tree is linear in terms of the number of leaves in it (even with λ -productions included!).

Symbol Tables in CSX

CSX is designed to make symbol tables easy to create and use.

There are three places where a new scope is opened:

- In the class that represents the program text. The scope is opened as soon as we begin processing the **classNode** (that roots the entire program). The scope stays open until the entire class (the whole program) is processed.
- When a **methodDeclNode** is processed. The name of the method is entered in the top-level (global) symbol table. Declarations of parameters and locals are placed in the method's symbol table. A

method's symbol table is closed after all the statements in its body are type checked.

- When a **blockNode** is processed. Locals are placed in the block's symbol table. A block's symbol table is closed after all the statements in its body are type checked.

CSX Allows no Forward References

This means we can do type-checking in *one pass* over the AST. As declarations are processed, their identifiers are added to the current (innermost) symbol table. When a use of an identifier occurs, we do an ordinary block-structured lookup, always using the innermost declaration found. Hence in

```
int i = j;  
int j = i;
```

the first declaration initializes **i** to the nearest non-local definition of **j**. The second declaration initializes **j** to the current (local) definition of **i**.