



X




**name**




cc.ws0 cc.ws29 cc.ws5 cc.ws7 oases.mtl100.cc5.mpc10.pc1.000000

# assembly




data-oct2.single-full//gridsearch-collectContigs/rsem\_oracleset.ws0.fa

# summary




2.single-full//gridsearch-collectContigs/rsem\_oracleset-summary.ws0/summary


# ssembly\_cmd




# rsem.approx.approx




# rsem.approx.bic




# rsem.approx.loglikelihood




# rsem.approx.loglikelihood.penalty




# rsem.eval.lognumer.minus.logdenom




# rsem.eval.logprior




# rsem.eval.loglikelihood




# rsem.eval.logdenom




# rsem.prior.log.prob.M




# rsem.prior.log.prob.L.given.M




# rsem.prior.log.prob.Sequences.given.L.and.M




# rsem.prior.log.prob.A




# rsem.eval.loglikelihood.plus.rsem.prior.log.prob.A




# rsem.approx.loglikelihood.plus.rsem.prior.log.prob.A




# rsem.approx.approx.plus.rsem.prior.log.prob.A




# rsem.approx.bic.plus.rsem.prior.log.prob.A




# rsem.ss.mean.num.reads.per.transcript



# rsem.ss.median.num.reads.per.transcript



# rsem.ss.num.transcripts.with.zero.reads





# rsem.ss.num.mismatching.bases

