

# VIRTUALIZATION: THE CPU

Questions answered in this lecture:

- What is a process?
- Why is limited direct execution a good approach for virtualizing the CPU?
- What execution state must be saved for a process?
- What 3 modes could a process be in?

Announcements:

- Waiting list:
  - Seats available in Section 303 (Wed 3:30-4:20)
  - Sign-up sheet at front of lecture to show continued interest in enrolling
- Read chapters 1 - 6
- Begin Project 1 (part a - sorting)
  - Watch P1a video
  - Attend discussion section tomorrow for sorting help

# WHAT IS A PROCESS?

Process: An **execution stream** in the context of a **process state**

What is an execution stream?

- Stream of executing instructions
- Running piece of code
- “thread of control”

What is process state?

- Everything that the running code can affect or be affected by
- Registers
- General purpose, floating point, status, program counter, stack pointer
- Address space
- Heap, stack, and code
- Open files

# PROCESSES VS. PROGRAMS


A process is different than a program

- Program: Static code and static data
- Process: Dynamic instance of code and data


Can have multiple process instances of same program

- Can have multiple processes of the same program
- Example: many users can run “ls” at the same time

# PROCESS CREATION



## PROCESS CREATION



## PROCESSES VS. THREADS

- A process is different than a thread
- Thread: “Lightweight process” (LWP)
  - An execution stream that shares an address space
  - Multiple threads within a single process
- Example:
  - Two **processes** examining same memory address 0xffe84264 see **different** values (I.e., different contents)
  - Two **threads** examining memory address 0xffe84264 see **same** value (I.e., same contents)

## VIRTUALIZING THE CPU

Goal:  
Give each process impression it alone is actively using CPU

Resources can be shared in **time** and **space**

Assume single uniprocessor  
Time-sharing (multi-processors: advanced issue)

Memory?  
Space-sharing (later)

Disk?  
Space-sharing (later)

## HOW TO PROVIDE GOOD CPU PERFORMANCE?

### Direct execution

- Allow user process to run directly on hardware
- OS creates process and transfers control to starting point (i.e., main())

### Problems with direct execution?

1. Process could do something restricted  
Could read/write other process data (disk or memory)
2. Process could run forever (slow, buggy, or malicious)  
OS needs to be able to switch between processes
3. Process could do something slow (like I/O)  
OS wants to use resources efficiently and switch CPU to other process

### Solution:

**Limited direct execution** – OS and hardware maintain some control

## PROBLEM 1: RESTRICTED OPS

How can we ensure user process can't harm others?


Solution: privilege levels supported by hardware (bit of status)

- User processes run in user mode (restricted mode)
- OS runs in kernel mode (not restricted)
  - Instructions for interacting with devices
  - Could have many privilege levels (advanced topic)

How can process access device?


- System calls (function call implemented by OS)
- Change privilege level through system call (trap)

## SYSTEM CALL




P wants to call read()

## SYSTEM CALL




P can only see its own memory because of **user mode**  
(other areas, including kernel, are hidden)

## SYSTEM CALL




P wants to call read() but no way to call it directly

## SYSTEM CALL



```
read():  
movl $6, %eax;  int $64
```


## SYSTEM CALL



```
movl $6, %eax;  int $64
```

syscall-table index      trap-table index

## SYSTEM CALL




```
movl $6, %eax;  int $64
```

syscall-table index      trap-table index

Kernel mode: we can do anything!

## SYSTEM CALL




```
movl $6, %eax;  int $64
```

syscall-table index      trap-table index

Follow entries to correct system call code



## SYSTEM CALL



Kernel can access user memory to fill in user buffer  
return-from-trap at end to return to Process P

## WHAT TO LIMIT?

User processes are not allowed to perform:

- General memory access
- Disk I/O
- Special x86 instructions like `lidt`

What if process tries to do something restricted?

## PROBLEM 2: HOW TO TAKE CPU AWAY?

OS requirements for **multiprogramming** (or multitasking)

- Mechanism
  - To switch between processes
- Policy
  - To decide which process to schedule when

Separation of policy and mechanism

- Reoccurring theme in OS
- **Policy**: Decision-maker to optimize some workload performance metric
  - Which process when?
  - Process **Scheduler**: Future lecture
- **Mechanism**: Low-level code that implements the decision
  - How?
  - Process **Dispatcher**: Today's lecture

## DISPATCH MECHANISM

OS runs **dispatch loop**

```
while (1) {  
    run process A for some time-slice  
    stop process A and save its context  
    load context of another process B  
}
```

Context-switch

Question 1: How does dispatcher gain control?


Question 2: What execution context must be saved and restored?

## Q1: HOW DOES DISPATCHER GET CONTROL?


### Option 1: Cooperative Multi-tasking

- Trust process to relinquish CPU to OS through traps
- Examples: System call, page fault (access page not in main memory), or error (illegal instruction or divide by zero)
- Provide special `yield()` system call


## COOPERATIVE APPROACH




## COOPERATIVE APPROACH




## COOPERATIVE APPROACH



## COOPERATIVE APPROACH



## COOPERATIVE APPROACH



## Q1: HOW DOES DISPATCHER RUN?

- Problem with cooperative approach?
- Disadvantages: Processes can misbehave
  - By avoiding all traps and performing no I/O, can take over entire machine
  - Only solution: Reboot!
- Not performed in modern operating systems

## Q1: HOW DOES DISPATCHER RUN?

- Option 2: **True Multi-tasking**
- Guarantee OS can obtain control periodically
  - Enter OS by enabling periodic alarm clock
    - Hardware generates timer interrupt (CPU or separate chip)
    - Example: Every 10ms
  - User must not be able to mask timer interrupt
  - Dispatcher counts interrupts between context switches
    - Example: Waiting 20 timer ticks gives 200 ms time slice
    - Common time slices range from 10 ms to 200 ms

## Q2: WHAT CONTEXT MUST BE SAVED?

Dispatcher must track context of process when not running


- Save context in **process control block (PCB)** (or, process descriptor)

What information is stored in PCB?


- PID
- Process state (I.e., running, ready, or blocked)
- Execution state (all registers, PC, stack ptr)
- Scheduling priority
- Accounting information (parent and child processes)
- Credentials (which resources can be accessed, owner)
- Pointers to other allocated resources (e.g., open files)

Requires special hardware support

- Hardware saves process PC and PSR on interrupts







## PROBLEM 3: SLOW OPS SUCH AS I/O?

When running process performs op that does not use CPU, OS switches to process that needs CPU (policy issues)

Running

Ready

Blocked

Transitions?

OS must track mode of each process:

- Running:
  - On the CPU (only one on a uniprocessor)
- Ready:
  - Waiting for the CPU
- Blocked
  - Asleep: Waiting for I/O or synchronization to complete

## PROBLEM 3: SLOW OPS SUCH AS I/O?

OS must track every process in system

- Each process identified by unique Process ID (PID)

OS maintains queues of all processes

- Ready queue: Contains all ready processes
- Event queue: One logical queue per event
  - e.g., disk I/O and locks
  - Contains all processes waiting for that event to complete

Next Topic: Policy for determining which **ready** process to run

# SUMMARY

## Virtualization:

Context switching gives each process impression it has its own CPU

Direct execution makes processes fast

Limited execution at key points to ensure OS retains control

Hardware provides a lot of OS support

- user vs kernel mode
- timer interrupts
- automatic register saving

UNIVERSITY of WISCONSIN-MADISON  
Computer Sciences Department

CS 537  
Introduction to Operating Systems

Andrea C. Arpaci-Dusseau  
Remzi H. Arpaci-Dusseau

# VIRTUALIZATION: THE CPU

## Questions answered in this lecture:

- What is a process?
- Why is limited direct execution a good approach for virtualizing the CPU?
- What execution state must be saved for a process?
- What 3 modes could a process be in?

## Announcements:

### Waiting list:

- Seats available in Section 303 (Wed 3:30-4:20)
- Sign-up sheet at front of lecture to show continued interest in enrolling

### Read chapters 1 - 6

### Begin Project 1 (part a - sorting)

### Watch P1 a video

### Attend discussion section tomorrow for sorting help

# PROCESS CREATION

Two ways to create a process

- Build a new empty process from scratch
- Copy an existing process and change it appropriately

Option 1: New process from scratch

- Steps
  - Load specified code and data into memory;  
Create empty call stack
  - Create and initialize PCB (make look like context-switch)
  - Put process on ready list
- Advantages: No wasted work
- Disadvantages: Difficult to setup process correctly and to express all possible options
  - Process permissions, where to write I/O, environment variables
  - Example: WindowsNT has call with 10 arguments

# PROCESS CREATION

Option 2: Clone existing process and change

- Example: Unix fork() and exec()
  - Fork(): Clones calling process
  - Exec(char \*file): Overlays file image on calling process
- Fork()
  - Stop current process and save its state
  - Make copy of code, data, stack, and PCB
  - Add new PCB to ready list
  - Any changes needed to child process?
- Exec(char \*file)
  - Replace current data and code segments with those in specified file
- Advantages: Flexible, clean, simple
- Disadvantages: Wasteful to perform copy and then overwrite of memory

# UNIX PROCESS CREATION

How are Unix shells implemented?

```
While (1) {
  Char *cmd = getcmd();
  Int retval = fork();
  If (retval == 0) {
    // This is the child process
    // Setup the child's process environment here
    // E.g., where is standard I/O, how to handle signals?
    exec(cmd);
    // exec does not return if it succeeds
    printf("ERROR: Could not execute %s\n", cmd);
    exit(1);
  } else {
    // This is the parent process; Wait for child to finish
    int pid = retval;
    wait(pid);
  }
}
```