

## Lecture 5 (Feb 3, 2004)


### Outline

Intra-domain Routing  
Distance Vector, RIP  
Link State, OSPF

CS 640

35

## Overview

- Forwarding vs Routing
  - forwarding: to select an output port based on destination address and routing table
  - routing: process by which routing table is built
- Network as a Graph
 
- Problem: Find lowest cost path between two nodes
- Factors
  - static: topology
  - dynamic: load

CS 640

36


## Distance Vector

- Each node maintains a set of triples
  - (Destination, Cost, NextHop)
- Directly connected neighbors exchange updates
  - periodically (on the order of several seconds)
  - whenever table changes (called *triggered* update)
- Each update is a list of pairs:
  - (Destination, Cost)
- Update local table if receive a “better” route
  - smaller cost
  - came from next-hop
- Refresh existing routes; delete if they time out

CS 640

37

## Example



Routing table for B		
Destination	Cost	NextHop
A	1	A
C	1	C
D	2	C
E	2	A
F	2	A
G	3	A

CS 640

38

## Routing Loops

- Example 1
  - F detects that link to G has failed
  - F sets distance to G to infinity and sends update to A
  - A sets distance to G to infinity since it uses F to reach G
  - A receives periodic update from C with 2-hop path to G
  - A sets distance to G to 3 and sends update to F
  - F decides it can reach G in 4 hops via A
- Example 2
  - link from A to E fails
  - A advertises distance of infinity to E
  - B and C advertise a distance of 2 to E
  - B decides it can reach E in 3 hops; advertises this to A
  - A decides it can reach E in 4 hops; advertises this to C
  - C decides that it can reach E in 5 hops...

CS 640

39

## Loop-Breaking Heuristics

- Set infinity to 16
- Split horizon
- Split horizon with poison reverse

CS 640

40

## Link State

- Strategy
  - send to all nodes (not just neighbors) information about directly connected links (not entire routing table)
- Link State Packet (LSP)
  - id of the node that created the LSP
  - cost of link to each directly connected neighbor
  - sequence number (SEQNO)
  - time-to-live (TTL) for this packet

CS 640

41

## Link State (cont)

- Reliable flooding
  - store most recent LSP from each node
  - forward LSP to all nodes but one that sent it
  - generate new LSP periodically
    - increment SEQNO
  - start SEQNO at 0 when reboot
  - decrement TTL of each stored LSP
    - discard when TTL=0

CS 640

42

## Route Calculation

- Dijkstra's shortest path algorithm
  - Let
    - $N$  denotes set of nodes in the graph
    - $l(i, j)$  denotes non-negative cost (weight) for edge  $(i, j)$
    - $s$  denotes this node
    - $M$  denotes the set of nodes incorporated so far
    - $C(n)$  denotes cost of the path from  $s$  to node  $n$
- ```

M = {s}
for each n in N - {s}
  C(n) = l(s, n)
while (N != M)
  M = M union {w} such that C(w) is the minimum for
    all w in (N - M)
  for each n in (N - M)
    C(n) = MIN(C(n), C(w) + l(w, n))
  
```

CS 640

43

## Metrics

- Original ARPANET metric
  - measures number of packets queued on each link
  - took neither latency or bandwidth into consideration
- New ARPANET metric
  - stamp each incoming packet with its arrival time ( $AT$ )
  - record departure time ( $DT$ )
  - when link-level ACK arrives, compute
 
$$\text{Delay} = (DT - AT) + \text{Transmit} + \text{Latency}$$
  - if timeout, reset  $DT$  to departure time for retransmission
  - link cost = average delay over some time period
- Fine Tuning
  - compressed dynamic range
  - replaced **Delay** with link utilization

CS 640

44