

Lecture 18 (April 1, 2004)

Outline

Simple Mail Transfer Protocol
POP3/IMAP

CS640

1

Internet apps: application, transport protocols

Application	Application layer protocol	Underlying transport protocol
e-mail	smtp [RFC 821]	TCP
remote terminal access	telnet [RFC 854]	TCP
Web	http [RFC 2068]	TCP
file transfer	ftp [RFC 959]	TCP
streaming multimedia	proprietary (e.g. RealNetworks)	TCP or UDP
remote file server	NFS	TCP or UDP
Internet telephony	proprietary (e.g., Vocaltec)	typically UDP

CS640

2

Transport service requirements of common apps

Application	Data loss	Bandwidth	Time Sensitive
file transfer	no loss	elastic	no
e-mail	no loss	elastic	no
Web documents	loss-tolerant	elastic	no
real-time audio/video	loss-tolerant	audio: 5Kb-1Mb video: 10Kb-5Mb	yes, 100's msec
stored audio/video	loss-tolerant	same as above	yes, few secs
interactive games	loss-tolerant	few Kbps up	yes, 100's msec
financial apps	no loss	elastic	yes and no

CS640

3


Electronic Mail

Three major components:

- ☐ user agents
- ☐ mail servers
- ☐ simple mail transfer protocol: smtp

User Agent

- ☐ a.k.a. "mail reader"
- ☐ composing, editing, reading mail messages
- ☐ e.g., Eudora, Outlook, elm, Netscape Messenger
- ☐ outgoing, incoming messages stored on server




CS640

4

Electronic Mail: mail servers

Mail Servers

- ☐ mailbox contains incoming messages (yet to be read) for user
- ☐ message queue of outgoing (to be sent) mail messages
- ☐ smtp protocol between mail servers to send email messages
 - o client: sending mail server
 - o "server": receiving mail server



CS640

5

Electronic Mail: smtp [RFC 821]

- ☐ uses tcp to reliably transfer email msg from client to server, port 25
- ☐ direct transfer: sending server to receiving server
- ☐ three phases of transfer
 - o handshaking (greeting)
 - o transfer of messages
 - o closure
- ☐ command/response interaction
 - o commands: ASCII text
 - o response: status code and phrase
- ☐ messages must be in 7-bit ASCII

CS640

6

Sample smtp interaction

```
S: 220 hamburger.edu
C: HELO crepes.fr
S: 250 Hello crepes.fr, pleased to meet you
C: MAIL FROM: <alice@crepes.fr>
S: 250 alice@crepes.fr... Sender ok
C: RCPT TO: <bob@hamburger.edu>
S: 250 bob@hamburger.edu ... Recipient ok
C: DATA
S: 354 Enter mail, end with "." on a line by itself
C: Do you like ketchup?
C: How about pickles?
C: .
S: 250 Message accepted for delivery
C: QUIT
S: 221 hamburger.edu closing connection
```

CS640

7

Try smtp interaction for yourself:

- ☐ telnet **servername 25**
 - ☐ see 220 reply from server
 - ☐ enter HELO, MAIL FROM, RCPT TO, DATA, QUIT commands
- above lets you send email without using email client (reader)

CS640

8

smtp: final words

- ☐ smtp uses persistent connections
- ☐ smtp requires message (header & body) to be in 7-bit ASCII
- ☐ certain character strings not permitted in msg (e.g., CRLF . CRLF). Thus msg has to be encoded (usually into either base-64 or quoted printable)
- ☐ smtp server uses CRLF . CRLF to determine end of message

Comparison with http:

- ☐ http: pull
- ☐ email: push
- ☐ both have ASCII command/response interaction, status codes
- ☐ http: each object encapsulated in its own response msg
- ☐ smtp: multiple objects sent in multipart msg

CS640


9

Mail message format

smtp: protocol for exchanging email msgs

RFC 822: standard for text message format:

- ☐ header lines, e.g.,
 - o To:
 - o From:
 - o Subject:*different from smtp commands!*
- ☐ body
 - o the "message", ASCII characters only




CS640

10

Message format: multimedia extensions

- ☐ MIME: multimedia mail extension, RFC 2045, 2056
- ☐ additional lines in msg header declare MIME content type



CS640

11

MIME types

Content-Type: type/subtype; parameters

Text

- ☐ example subtypes: **plain**, **html**

Video

- ☐ example subtypes: **mpeg**, **quicktime**

Image

- ☐ example subtypes: **jpeg**, **gif**

Application

- ☐ other data that must be processed by reader before "viewable"
- ☐ example subtypes: **msword**, **octet-stream**

Audio

- ☐ example subtypes: **basic** (8-bit mu-law encoded), **32kadtcm** (32 kbps coding)

CS640

12

Multipart Type

From: alice@crepes.fr
 To: bob@hamburger.edu
 Subject: Picture of yummy crepe.
 MIME-Version: 1.0
 Content-Type: multipart/mixed; boundary=98766789

--98766789
 Content-Transfer-Encoding: quoted-printable
 Content-Type: text/plain

Dear Bob,
 Please find a picture of a crepe.


--98766789
 Content-Transfer-Encoding: base64
 Content-Type: image/jpeg

base64 encoded data
base64 encoded data
 --98766789--

CS640

13

Mail access protocols



- SMTP: delivery/storage to receiver's server
- Mail access protocol: retrieval from server
 - POP: Post Office Protocol [RFC 1939]
 - authorization (agent <-->server) and download
 - IMAP: Internet Mail Access Protocol [RFC 1730]
 - more features (more complex)
 - manipulation of stored msgs on server
 - HTTP: Hotmail, Yahoo! Mail, etc.

CS640

14

POP3 protocol

authorization phase

- client commands:
 - **user**: declare username
 - **pass**: password
- server responses
 - +OK
 - -ERR

transaction phase, client:

- **list**: list message numbers
- **retr**: retrieve message by number
- **dele**: delete
- **quit**

```

S: +OK POP3 server ready
C: user alice
S: +OK
C: pass hungry
S: +OK user successfully logged on

C: list
S: 1 498
S: 2 912
S: .
C: retr 1
S: <message 1 contents>
S: .
C: dele 1
C: retr 2
S: <message 1 contents>
S: .
C: dele 2
C: quit
S: +OK POP3 server signing off
  
```

CS640

15