

## Lecture 3 Approximation I

Instructor: Yingyu Liang

Date: Feb 1<sup>st</sup>, 2022

Scriber: Zhenmei Shi

## 1 Overview

In the previous lecture, we decomposed the risk into three parts: approximation, estimation/generalization and optimization. In this lecture we will focus on approximation power of neural networks.

## 2 Problem Setup

### 2.1 Two-Layer Neural Network

Let  $\mathcal{X}$  denote the input space, and  $\mathcal{Y}$  the label space.  $\mathcal{X} \subseteq \mathbb{R}^d$ , and  $\mathcal{Y} = \{-1, +1\}$  for binary classification. The hypothesis/model class  $\mathcal{H}$  is 2-layer neural networks which can also be thought of as a 1-hidden-layer neural network with functions  $h : \mathcal{X} \mapsto \mathcal{Y}$ ,

$$h(\mathbf{x}) = \sum_{i=1}^m a_i \sigma(\langle \mathbf{w}_i, \mathbf{x} \rangle + b_i) = \mathbf{a} \sigma(\mathbf{W} \mathbf{x} + \mathbf{b}), \quad (1)$$

where  $\mathbf{w}_i \in \mathbb{R}^d$ ,  $a_i, b_i \in \mathbb{R}$ ,  $\mathbf{W} = [\mathbf{w}_1^\top, \dots, \mathbf{w}_m^\top]^\top$ ,  $\mathbf{b} \in \mathbb{R}^m$ ,  $\mathbf{a} \in \mathbb{R}^{1 \times m}$ , and  $\sigma$  is an activation function. Below is a picture to better understand a neural network's set of parameters applied to the input.




Figure 1: Example of a 2-layer neural network given parameters

**Example 1** (Activation Functions). Some common activation functions are:

- ReLU:  $\sigma(z) = \max(0, z)$ .
- Sigmoid:  $\sigma(z) = \frac{1}{1+\exp(-z)}$ .




Figure 2: ReLU and Sigmoid

## 2.2 L-Layer Neural Network

Now to define a Deep Neural Network (DNN) or multiple-layer neural network which has  $L$  layers:

$$\begin{aligned} h_0(\mathbf{x}) &= \mathbf{x} \\ h_j(\mathbf{x}) &= \sigma_j(\mathbf{W}_j h_{j-1}(\mathbf{x}) + \mathbf{b}_j) \\ h(\mathbf{x}) &= h_L(\mathbf{x}), \end{aligned}$$

where  $\mathbf{x} \in \mathbb{R}^d$ ,  $\mathbf{W}_1 \in \mathbb{R}^{m_1 \times d}$ ,  $\mathbf{W}_i \in \mathbb{R}^{m_i \times m_{i-1}}$  for  $i = 2, \dots, L-1$ ,  $\mathbf{W}_L \in \mathbb{R}^{k \times m_{L-1}}$  and  $\mathbf{b}_i \in \mathbb{R}^{m_i}$ . The function  $h$  is a mapping of  $h : \mathbb{R}^d \mapsto \mathbb{R}^k$ . Normally, the same activation function is used in all layers except the last one.

For multi-class classification with  $y \in \{1, \dots, k\}$ ,  $k$  is the number of classes in the problem, the last layer uses the softmax function to generate a probabilistic vector, and the output  $h(\mathbf{x})$  is regarded as the probabilities over the  $k$  classes.

For binary classification with  $y \in \{-1, +1\}$ , typically  $k = 1$ , the last layer uses the sigmoid function to generate a value in  $(0, 1)$ , and the output  $h(\mathbf{x})$  is regarded as the probability of the label  $+1$ .

For regression with  $y \in \mathbb{R}$ , typically  $k = 1$ , the last layer uses no activation function (or equivalently, uses the identity function as the activation), and the output  $h(\mathbf{x})$  is regarded as an estimation of  $y$ .

**Example 2** (Loss Functions). Some typical examples of loss functions are:

- Cross-entropy loss for multi-class classification:  $l(\hat{y}, y) = -\log(\hat{y}_y) = -\sum_{i=1}^k \bar{y}_i \log(\hat{y}_i)$ , where  $y \in \{1, \dots, k\}$ ,  $\bar{y}$  is the one-hot encoding of  $y$ ,  $\hat{y} \in \mathbb{R}^k$  is a probabilistic vector (i.e., the softmax output of the network).
- Logistic loss for binary classification:  $l(\hat{y}, y) = \log(1 + \exp(-\hat{y}y))$ , where  $y \in \{-1, +1\}$ , and  $\hat{y} \in \mathbb{R}$  is the output of the network (usually the last layer uses no activation function).
- Square loss for regression:  $l(\hat{y}, y) = (\hat{y} - y)^2$ , where  $y \in \mathbb{R}$ , and  $\hat{y} \in \mathbb{R}$  is the output of the network (usually the last layer uses no activation function).

For  $L = 2$ ,

$$h(\mathbf{x}) = \sigma_2(\mathbf{W}_2 \sigma_1(\mathbf{W}_1 \mathbf{x} + \mathbf{b}_1) + \mathbf{b}_2),$$

is equivalent to (1) when  $\sigma_2$  is the identity function,  $\mathbf{W}_2 = \mathbf{a}$ , and  $\mathbf{b}_2 = 0$ .

### 3 Approximation

Recall that the risk is,

$$\mathcal{R}(h) = \mathbb{E}_{(\mathbf{x}, y)}[l(h(\mathbf{x}), y)].$$

Suppose we have a hypothesis class  $\mathcal{H}$  and ground truth function class  $\mathcal{G}$  and  $l(\cdot, y)$  is 1-Lipschitz,  $|l(\hat{y}, y) - l(y', y)| \leq |\hat{y} - y'|$ . Let  $h \in \mathcal{H}, g \in \mathcal{G}$ , we define the distance  $d$  between two functions and  $l_1$  norm as,

$$\begin{aligned} d(h, g) &:= \mathbb{E}_{(x, y)}[l(h(\mathbf{x}), y)] - \mathbb{E}_{(x, y)}[l(g(\mathbf{x}), y)] \\ &\leq \mathbb{E}_{(x, y)}[|h(\mathbf{x}) - g(\mathbf{x})|] := \|h - g\|_1. \end{aligned}$$

Their difference is also called the approximation error of function class  $\mathcal{H}$  on  $\mathcal{G}$ . We use  $l_1$  norm because it is convenient for theoretical analysis; other definitions are possible.

Our goal is to bound the following term:

$$\sup_{g \in \mathcal{G}} \inf_{h \in \mathcal{H}} \|h - g\|_1$$

to measure the approximation error of  $\mathcal{H}$  on  $\mathcal{G}$ .

## 4 Neural Networks Approximate Lipschitz Functions

### 4.1 1-dimension Case

Consider Lipschitz function family (non-parametric function family)  $g : [0, 1) \mapsto \mathbb{R}$ ,

$$|g(x_1) - g(x_2)| \leq \rho |x_1 - x_2|, \forall x_1, x_2 \in [0, 1).$$

We have the following theorem.

**Theorem 3.** Suppose  $g : [0, 1] \mapsto \mathbb{R}$  is  $\rho$ -Lipschitz. For any  $\epsilon > 0$ , there exists a 2-layer-neural-network  $h(x)$  with  $2m$  neurons where  $m := \lceil \frac{\rho}{\epsilon} \rceil$ , s.t.  $\forall x \in [0, 1], |h(x) - g(x)| \leq \epsilon$ .

*Proof of Theorem 3.* The proof idea is doing partition. The target function is almost constant in each small interval. Construct a function by assigning left hand side value of the target function in the interval. Let  $b_i = \frac{(i-1)}{m}, i = 1, \dots, m$ . Consider

$$h(x) = \sum_{j=1}^m g(b_j) \mathbb{I}[x \in [b_j, b_{j+1})], \quad (2)$$

we need to replace the indicator function by neurons. Consider step activation function (threshold function),

$$\sigma(z) = \begin{cases} 0, & z < 0 \\ 1, & z \geq 0 \end{cases}$$

we have,

$$\sigma(z - b_j) - \sigma(z - b_{j+1}) = \mathbb{I}[z \in [b_j, b_{j+1})].$$

Thus  $h(x)$  in (2) is a 2-layer-neural-network with  $2m$  neurons. The error is bounded by,

$$|h(x) - g(x)| = |g(b_j) - g(x)| \leq \rho |b_j - x| \leq \rho \cdot \frac{\epsilon}{\rho} = \epsilon.$$

□

We make use of threshold functions that use several 1-dimensional flat regions to approximate arbitrary  $\rho$ -Lipschitz unitary functions.

## 4.2 High-dimension Case

In this section, we consider multivariate approximation, and similarly make use of higher dimensional bumps or flat regions to approximate continuous multivariate functions. In particular, we will use 3-layer-neural-network with ReLU activation function to approximate high-dimension Lipschitz function family.

**Theorem 4.** Suppose  $g$  is a continuous function and  $\epsilon > 0$ . Additionally, assume that  $\forall \delta > 0, \forall \mathbf{x}_1, \mathbf{x}_2 \in [0, 1]^d$ , if  $\|\mathbf{x}_1 - \mathbf{x}_2\|_\infty \leq \delta$ , we have  $|g(\mathbf{x}_1) - g(\mathbf{x}_2)| \leq \epsilon$ . Then, there exists a 3-layer-neural-network  $h(\mathbf{x})$  with  $\Omega(\frac{1}{\epsilon^d})$  ReLU neurons s.t.  $\forall \mathbf{x} \in [0, 1]^d, |h(\mathbf{x}) - g(\mathbf{x})| \leq 2\epsilon$ .

We can use similarly ideas in Theorem 3 to construct an intermediate function (piece-wise constant function).

**Lemma 5.** Let  $g, \delta, \epsilon$  be defined as in Theorem (4). For any partition  $P$  of  $[0, 1]^d$  into hyper rectangles,  $P = \{R_i\}_{i=1}^N$  with side length  $\leq \delta$ , there exists a piece-wise constant function  $h(\mathbf{x}) = \sum_{i=1}^N \alpha_i \mathbb{I}[\mathbf{x} \in R_i]$  s.t.  $\forall \mathbf{x} \in [0, 1]^d, |h(\mathbf{x}) - g(\mathbf{x})| \leq \epsilon$ .

*Proof of Lemma 5.* Let  $\alpha_i$  be the value of  $g$  on any point in the region  $R_i$ . □

With this lemma, we are equipped to prove Theorem 1. Our strategy will be to apply Lemma 5 to claim that a piece-wise constant function approximates a continuous function. Then, we will prove that a 2-layer ReLU network can approximate an indicator function, representing a bump in high dimensional space. Finally, we show by construction a 3-layer neural network that uses the first 2 layers to approximate selector functions, and the final layer to apply corresponding constants  $\alpha_i$  to the correct indicator approximation.

*Proof of Theorem 4.* Divide the domain  $[0, 1]^d$  into sufficiently small hyper rectangles of the form  $R_i := \times_{j=1}^d [a_{ij}, b_{ij}]$ . If we can approximate  $\mathbb{I}[x_j \in [a_{ij}, b_{ij}]]$  by 1 layer of the neural network with ReLU activation function and approximate  $\mathbb{I}[\mathbf{x} \in R_i]$  by 2 layers of the neural network with ReLU activation function then we have three layers of the neural network as

$$f(\mathbf{x}) = \sum_i \alpha_i \tilde{\mathbb{I}}[\mathbf{x} \in R_i],$$

where  $\tilde{\mathbb{I}}$  is approximate by neurons with ReLU activation function. Then we have,

$$\mathbb{E}_{\mathbf{x}} |f(\mathbf{x}) - g(\mathbf{x})| \leq \mathbb{E}_{\mathbf{x}} |f(\mathbf{x}) - h(\mathbf{x})| + \mathbb{E}_{\mathbf{x}} |h(\mathbf{x}) - g(\mathbf{x})| \leq \epsilon + \epsilon = 2\epsilon. \quad (3)$$




Figure 3: Linear combination of ReLU activations

Now, we will construct our two-layer networks to satisfy the above property. First, we are going to approximate  $\mathbb{I}[x \in [a_{ij}, b_{ij}]]$  by neurons with ReLU activation function. Consider

$$\frac{\sigma(z - c_1) - \sigma(z - c_2)}{c_2 - c_1}, \quad (4)$$

for  $c_2 > c_1$ ; see left figure in Figure 3. Two equation (4) can form an approximation function of indicator function,

$$f_{i,j,\gamma}(\mathbf{x}) = \frac{1}{\gamma} [\sigma(x_j - a_{ij}) - \sigma(x_j - (a_{ij} - \gamma))] - \frac{1}{\gamma} [\sigma(x_j - (b_{ij} + \gamma)) - \sigma(x_j - b_{ij})] \quad (5)$$

$$:= \tilde{\mathbb{I}}[x_j \in [a_{ij}, b_{ij}]], \quad (6)$$

see right figure in Figure 3. Note that the  $\gamma$  can be chosen to be sufficiently small so that we have as small approximation error of  $\tilde{\mathbb{I}}$  on  $\mathbb{I}$  as desired.  $f_{i,j,\gamma}(\mathbf{x})$  can only approximate one dimension. To approximate  $d$  dimension, we can compose these 1-layer single-coordinate selector functions to form a 2-layer selector function that selects rectangles in all coordinates:

$$\tilde{\mathbb{I}}[\mathbf{x} \in R_i] := f_{i,\gamma}(\mathbf{x}) = \sigma\left(\sum_{j=1}^d f_{i,j,\gamma}(\mathbf{x}) - (d - 1)\right).$$

Then it satisfies:

$$f_{i,\gamma}(\mathbf{x}) = \begin{cases} 1, & \mathbf{x} \in R_i \\ [0, 1), & \text{o.w.} \\ 0, & \mathbf{x} \notin \times_{j=1}^d [a_{ij} - \gamma, b_{ij} + \gamma]. \end{cases}$$

Finally, we pick a sufficiently small  $\gamma$ . By equation (3), we conclude that 3-layer-neural-networks with ReLU activation function can approximate high-dimension Lipschitz function family with small approximation error.  $\square$

**Remark 6** (Curse of dimension). Note that this theorem requires a number of ReLU units exponential in the dimensionality. A neural network satisfying this requirement is likely to be impractical in high-dimensional domains.