

CS540 Introduction to Artificial Intelligence

Lecture 5

Young Wu

Based on lecture slides by Jerry Zhu, Yingyu Liang, and Charles Dyer

June 29, 2021

Maximum Margin Diagram

Motivation

Margin and Support Vectors

Motivation

- The perceptron algorithm finds any line (w, b) that separates the two classes.

$$\hat{y}_i = \mathbb{1}_{\{w^T x_i + b \geq 0\}}$$

- The margin is the maximum width (thickness) of the line before hitting any data point.
- The instances that the thick line hits are called support vectors.
- The model that finds the line that separates the two classes with the widest margin is called support vector machine (SVM).

Support Vector Machine

Description

- The problem is equivalent to minimizing the squared norm of the weights $\|w\|^2 = w^T w$ subject to the constraint that every instance is classified correctly (with the margin).
- Use subgradient descent to find the weights and the bias.

Finding the Margin

Definition

- Define two planes: plus plane $w^T x + b = 1$ and minus plane $w^T x + b = -1$.
- The distance between the two planes is $\frac{2}{\sqrt{w^T w}}$.
- If all of the instances with $y_i = 1$ are above the plus plane and all of the instances with $y_i = 0$ are below the minus plane, then the margin is $\frac{2}{\sqrt{w^T w}}$.

Constrained Optimization Derivation

Definition

Constrained Optimization

Definition

- The goal is to maximize the margin subject to the constraint that the plus plane and the minus plane separates the instances with $y_i = 0$ and $y_i = 1$.

$$\max_w \frac{2}{\sqrt{w^T w}} \text{ such that } \begin{cases} (w^T x_i + b) \leq -1 & \text{if } y_i = 0 \\ (w^T x_i + b) \geq 1 & \text{if } y_i = 1 \end{cases}, i = 1, 2, \dots, n$$

- The two constraints can be combined.

$$\max_w \frac{2}{\sqrt{w^T w}} \text{ such that } (2y_i - 1) (w^T x_i + b) \geq 1, i = 1, 2, \dots, n$$

Hard Margin SVM

Definition

$$\max_w \frac{2}{\sqrt{w^T w}} \text{ such that } (2y_i - 1) (w^T x_i + b) \geq 1, i = 1, 2, \dots, n$$

- This is equivalent to the following minimization problem, called hard margin SVM.

$$\min_w \frac{1}{2} w^T w \text{ such that } (2y_i - 1) (w^T x_i + b) \geq 1, i = 1, 2, \dots, n$$

Soft Margin Diagram

Definition

Soft Margin

Definition

- To allow for mistakes classifying a few instances, slack variables are introduced.
- The cost of violating the margin is given by some constant $\frac{1}{\lambda}$.
- Using slack variables ξ_i , the problem can be written as the following.

$$\min_w \frac{1}{2} w^T w + \frac{1}{\lambda} \frac{1}{n} \sum_{i=1}^n \xi_i$$

such that $(2y_i - 1) (w^T x_i + b) \geq 1 - \xi_i, \xi_i \geq 0, i = 1, 2, \dots, n$

Soft Margin SVM

Definition

$$\min_w \frac{1}{2} w^T w + \frac{1}{\lambda} \frac{1}{n} \sum_{i=1}^n \xi_i$$

such that $(2y_i - 1) (w^T x_i + b) \geq 1 - \xi_i, \xi_i \geq 0, i = 1, 2, \dots, n$

- This is equivalent to the following minimization problem, called soft margin SVM.

$$\min_w \frac{\lambda}{2} w^T w + \frac{1}{n} \sum_{i=1}^n \max \left\{ 0, 1 - (2y_i - 1) (w^T x_i + b) \right\}$$

Subgradient Descent

Definition

$$\min_w \frac{\lambda}{2} w^T w + \frac{1}{n} \sum_{i=1}^n \max \left\{ 0, 1 - (2y_i - 1) (w^T x_i + b) \right\}$$

- The gradient for the above expression is not defined at points with $1 - (2y_i - 1) (w^T x_i + b) = 0$.
- Subgradient can be used instead of a gradient.

Subgradient

- The subderivative at a point of a convex function in one dimension is the set of slopes of the lines that are tangent to the function at that point.
- The subgradient is the version for higher dimensions.
- The subgradient $\partial f(x)$ is formally defined as the following set.

$$\partial f(x) = \left\{ v : f(x') \geq f(x) + v^T (x' - x) \quad \forall x' \right\}$$

Subgradient Descent Step

Definition

- One possible set of subgradients with respect to w and b are the following.

$$\partial_w C \ni \lambda w - \sum_{i=1}^n (2y_i - 1) x_i \mathbb{1}_{\{(2y_i - 1)(w^T x_i + b) \geq 1\}}$$

$$\partial_b C \ni - \sum_{i=1}^n (2y_i - 1) \mathbb{1}_{\{(2y_i - 1)(w^T x_i + b) \geq 1\}}$$

- The gradient descent step is the same as usual, using one of the subgradients in place of the gradient.

Class Notation and Bias Term

Definition

- Usually, for SVM, the bias term is not included and updated. Also, the classes are -1 and +1 instead of 0 and 1. Let the labels be $z_i \in \{-1, +1\}$ instead of $y_i \in \{0, 1\}$. The gradient steps are usually written the following way.

$$w = (1 - \lambda) w - \alpha \sum_{i=1}^n z_i \mathbb{1}_{\{z_i w^T x_i \geq 1\}} x_i$$

$$z_i = 2y_i - 1, i = 1, 2, \dots, n$$

Regularization Parameter

Definition

$$w = w - \alpha \sum_{i=1}^n z_i \mathbb{1}_{\{z_i w^T x_i \geq 1\}} x_i - \lambda w$$

$$z_i = 2y_i - 1, i = 1, 2, \dots, n$$

- λ is usually called the regularization parameter because it reduces the magnitude of w the same way as the parameter λ in L2 regularization.
- The stochastic subgradient descent algorithm for SVM is called PEGASOS: Primal Estimated sub-GrAdient SOLver for Svm.

PEGASOS Algorithm

Algorithm

- Inputs: instances: $\{x_i\}_{i=1}^n$ and $\{z_i = 2y_i - 1\}_{i=1}^n$
- Outputs: weights: $\{w_j\}_{j=1}^m$
- Initialize the weights.

$$w_j \sim \text{Unif}[0, 1]$$

- Randomly permute (shuffle) the training set and perform subgradient descent for each instance i .

$$w = (1 - \lambda) w - \alpha z_i \mathbb{1}_{\{z_i w^T x_i \geq 1\}} x_i$$

- Repeat for a fixed number of iterations.

Kernel Trick

Motivation

- If the classes are not linearly separable, more features can be created.
- For example, a 1 dimensional x can be mapped to $\varphi(x) = (x, x^2)$.
- Another example is to map a 2 dimensional (x_1, x_2) to $\varphi(x = (x_1, x_2)) = (x_1^2, \sqrt{2}x_1x_2, x_2^2)$.

Kernel Trick 1D Diagram

Motivation

Kernelized SVM

Definition

- With a feature map φ , the SVM can be trained on new data points $\{(\varphi(x_1), y_1), (\varphi(x_2), y_2), \dots, (\varphi(x_n), y_n)\}$.
- The weights w correspond to the new features $\varphi(x_i)$.
- Therefore, test instances are transformed to have the same new features.

$$\hat{y}_i = \mathbb{1}_{\{w^T \varphi(x_i) \geq 0\}}$$

Kernel Matrix

Definition

- The feature map is usually represented by a $n \times n$ matrix K called the Gram matrix (or kernel matrix).

$$K_{ii'} = \varphi(x_i)^T \varphi(x_{i'})$$

Examples of Kernel Matrix

Definition

- For example, if $\varphi(x) = (x_1^2, \sqrt{2}x_1x_2, x_2^2)$, then the kernel matrix can be simplified.

$$K_{ii'} = (x_i^T x_{i'})^2$$

- Another example is the quadratic kernel $K_{ii'} = (x_i^T x_{i'} + 1)^2$. It can be factored to have the following feature representations.

$$\varphi(x) = (x_1^2, x_2^2, \sqrt{2}x_1x_2, \sqrt{2}x_1, \sqrt{2}x_2, 1)$$

Kernel Matrix Characterization

Discussion

- A matrix K is kernel (Gram) matrix if and only if it is symmetric positive semidefinite.
- Positive semidefiniteness is equivalent to having non-negative eigenvalues.

Popular Kernels

Discussion

- Other popular kernels include the following.

① Linear kernel: $K_{ii'} = x_i^T x_{i'}$

② Polynomial kernel: $K_{ii'} = (x_i^T x_{i'} + 1)^d$

- ③ Radial Basis Function (Gaussian) kernel:

$$K_{ii'} = \exp\left(-\frac{1}{\sigma^2} (x_i - x_{i'})^T (x_i - x_{i'})\right)$$

- Gaussian kernel has infinite-dimensional feature representations. There are dual optimization techniques to find w and b for these kernels.