

CS540 Introduction to Artificial Intelligence

Lecture 22

Young Wu

Based on lecture slides by Jerry Zhu, Yingyu Liang, and Charles Dyer

August 8, 2022

Rationalizability

Motivation

- An action is 1-rationalizable if it is the best response to some action.
- An action is 2-rationalizable if it is the best response to some 1-rationalizable action.
- An action is 3-rationalizable if it is the best response to some 2-rationalizable action.
- An action is rationalizable if it is ∞ -rationalizable.

Normal Form Games

Definition

- In a simultaneous move game, a state represents one action from each player.
- The costs or rewards, sometimes called payoffs, are written in a payoff table.
- The players are usually called the ROW player and the COLUMN player.
- If the game is zero-sum, the convention is: ROW player is MAX and COLUMN player is MIN.

Best Response

Definition

- An action is a best response if it is optimal for the player given the opponents' actions.

$$br_{MAX}(s_{MIN}) = \operatorname{argmax}_{s \in S_{MAX}} c(s, s_{MIN})$$

$$br_{MIN}(s_{MAX}) = \operatorname{argmin}_{s \in S_{MIN}} c(s_{MAX}, s)$$

Strictly Dominated and Dominant Strategy

Definition

- An action s_i strictly dominates another $s_{i'}$ if it leads to a better state no matter what the opponents' actions are.

$$s_i >_{MAX} s_{i'} \text{ if } c(s_i, s) > c(s_{i'}, s) \forall s \in S_{MIN}$$

$$s_i >_{MIN} s_{i'} \text{ if } c(s, s_i) < c(s, s_{i'}) \forall s \in S_{MAX}$$

- The action $s_{i'}$ is called strictly dominated.
- An action that strictly dominates all other actions is called strictly dominant.

Weakly Dominated and Dominant Strategy

Definition

- An action s_i weakly dominates another $s_{i'}$ if it leads to a better state or a state with the same payoff no matter what the opponents' actions are.

$$s_i \succ_{MAX} s_{i'} \text{ if } c(s_i, s) \geq c(s_{i'}, s) \forall s \in S_{MIN}$$

$$s_i \succ_{MIN} s_{i'} \text{ if } c(s, s_i) \leq c(s, s_{i'}) \forall s \in S_{MAX}$$

- The action $s_{i'}$ is called weakly dominated.

Nash Equilibrium

Definition

- A Nash equilibrium is a state in which all actions are best responses.

Prisoner's Dilemma

Discussion

- A simultaneous move, non-zero-sum, and symmetric game is a prisoner's dilemma game if the Nash equilibrium state is strictly worse for both players than another state.

–	<i>C</i>	<i>D</i>
<i>C</i>	(x, x)	$(0, y)$
<i>D</i>	$(y, 0)$	$(1, 1)$

- *C* stands for Cooperate and *D* stands for Defect (not Confess and Deny). Both players are MAX players. The game is PD if $y > x > 1$. Here, (D, D) is the only Nash equilibrium and (C, C) is strictly better than (D, D) for both players.

Properties of Nash Equilibrium

Discussion

- All Nash equilibria are rationalizable.
- No Nash equilibrium contains a strictly dominated action.
- Rationalizable actions (the set of Nash equilibria is a subset of this) can be found by iterated elimination of strictly dominated actions.
- The above statements are not true for weakly dominated actions.

Normal Form of Sequential Games

Discussion

- Sequential games can have normal form too, but the solution concept is different.
- Nash equilibria of the normal form may not be a solution of the original sequential form game.

Fixed Point Algorithm

Description

- For small games, it is possible to find all the best responses. The states that are best responses for all players are the solutions of the game.
- For large games, start with a random action, find the best response for each player and update until the state is not changing.

Fixed Point Diagram

Definition

Mixed Strategy Nash Equilibrium

Definition

- A mixed strategy is a strategy in which a player randomizes between multiple actions.
- A pure strategy is a strategy in which all actions are played with probabilities either 0 or 1.
- A mixed strategy Nash equilibrium is a Nash equilibrium for the game in which mixed strategies are allowed.

Nash Theorem

Definition

- Every finite game has a Nash equilibrium.
- The Nash equilibria are fixed points of the best response functions.

Fixed Point Nash Equilibrium

Algorithm

- Input: the payoff table $c(s_i, s_j)$ for $s_i \in S_{MAX}, s_j \in S_{MIN}$.
- Output: the Nash equilibria.
- Start with random state $s = (s_{MAX}, s_{MIN})$.
- Update the state by computing the best response of one of the players.
 - either $s' = (br_{MAX}(s_{MIN}), br_{MIN}(br_{MAX}(s_{MIN})))$
 - or $s' = (br_{MAX}(br_{MIN}(s_{MAX})), br_{MIN}(s_{MAX}))$
- Stop when $s' = s$.